

Copy Dentures

View Online



[1]

Watkinson, A C, 'Duplication of full dentures', British dental journal, vol. 141, no. 11, Dec. 1976.

[2]

Faraj, S A, 'Duplication of complete dentures using a sectional mold technique', The Journal of prosthetic dentistry, vol. 85, no. 1, Jan. 2001 [Online]. Available: http://qmul.summon.serialssolutions.com/2.0.0/link/0/eLvHCXMwpV1Lb9QwEB7BFolKiPdjeUg5cOCy7PoRP6Sq0mq7K25wWOBBoxbENIdpuYbNSfz4zzgNaUYFAyiWOYyf2ZOZzPN8MgOBvZ5MrOgHNVJLcpxhjCqoUiUfrE2ENBARJZ67yWixWcrmm3x-LnhpDXpadKWhVffbeXcm0G9zp-fExUX7R0lIGAluiWTM3YY8rK-QI9ubz9_PPg342pWZDDHG8oQ_4o_QU1_G0ZGRerNGUculPtuoWUUd2298arax3V_eg94rqHVP6n4nfTncnHV_scgDI_3zv-3C3w7LFvK33AG7Es4dw-4j8jyiF3CP4dOAPj3bDDvnB1B8WWLRJRfZkr7zeF4Vs--l2n5Mv_peiKrbZTYy6ON2chGIIN_sYPq6W68W7SZfIYVITQJiwSlplkzfWax2sCjzPhAk6ah-StKEylawJ6vhSISfRW5jN6oOrJUpyiewJ2KHP7PmkwMDM-giFoaFZJOKnClmRjFUOdyLAG1EI6jeFNP3fuvA3c4fKGu9IOp5nSbzLXTvMYlv3cukuD7vBTdd1guk1yH4il85XlpW4YS2dKhw1xXEONgV_TDpqn6zt_2krTz6dkjHLAsDG8bsVruMLdlrsczhV RM2I945qLBhu4Uk0IpWaWc2zgV7EcrmeocrxEL5r0dfAL2N9UWxcx4ipXQPP-XV30B-60HHx0vYdR838VXMKIP4QcB1Uja

[3]

Johnson, A, 'The versatility of the copy denture technique', British dental journal, vol. 150, no. 7, Apr. 1981.

[4]

Davenport, J.C, 'A modification of the copy denture technique', British dental journal, vol. 153, no. 8, pp. 300-302, Oct. 1982, doi: 10.1038/sj.bdj.4804919.

[5]

Heath, J R, 'The copy denture technique. Variables relevant to general dental practice', *British dental journal*, vol. 155, no. 5, Sep. 1983.

[6]

Basker, R M, 'The dimensional variability of duplicate dentures produced in a alginate investment', *British dental journal*, vol. 144, no. 4, Feb. 1978.

[7]

Demetriou, P.P, 'Dimensional accuracy of duplicate dentures prepared by different methods', *The Journal of Prosthetic Dentistry*, vol. 55, no. 4, pp. 513-517, Jan. 1986, doi: 10.1016/0022-3913(86)90190-3.

[8]

Yemm, R, 'Replacement complete dentures: no friends like old friends', *International dental journal*, vol. 41, no. 4, Aug. 1991.

[9]

Pissiotis, Argirios L, 'Comparative Study of Acceptance and Adaptation to New Complete Dentures, Using Two Construction Protocols', *Journal of Prosthodontics*, vol. 25, no. 7, pp. 536-543, Oct. 2016, doi: 10.1111/jopr.12466. [Online]. Available: http://qmul.summon.serialssolutions.com/2.0.0/link/0/eLvHCXMwnV1LS8NAEB60HhTEt7Q-YA-exLTZPFsohVpbRCgWqeidDe7B9Em2kx3zuzefi6qLcsbEKSmZ35Znb2GwDXqdvWN5sQqKaiSEwQeYvU5LWIDoj8vCW0b47G3I3d3sDrjyn9UeTfMraIMv1G68RY70_LvfEQJy919FJB0JgKSg_IdBIWENjQOI3pDs-HN-W2AvdN11LCFFbL4_c5X-nXxxBpqlyT1_k3X_QVvhpzOtiEopipqDspXvb56fUxPw72k9_xf5-1BRs5SmXdTK22YUnNdmD1giqLqDncLix6H6zhjGoR31isWVdSkQzpEZvOItaNpkm208_SmKE5ZW3RoRtRV1S7ITo0vjBeT81pfMZMBQMbL2JGnUQLbIs2eonTGFV2vge3g_64d2nlPRyshLs8sATHeCnQttKRlcsjijGlbV8EOgp9pTyEj46nEcjJkDsqRK3gXDRROL4bCsSH-7A-pVr_WWrOBEZVYLbGOMp30DwJDOyIbHEZNIpfkZGH1trmNahmApwkGWPHBGFc0wkRydTg5LNlywlmhxTBmNsyQVMN-G-m9XladalPSGtwaiRZTi7DK5TtxEhycnU9ujFXB3-ZfAhrCNOCrITwCCr489UxVEjD3gG5hQP4

[10]

Davis, D.M, 'Copy denture technique: a critique', *Dental update*, vol. 21, no. 1, pp. 15-20, Jan. 1994.

[11]

Davis, D.M, 'A study to compare the oral health impact profile and satisfaction before and after having replacement complete dentures constructed by either the copy or the conventional technique', *Gerodontology*, vol. 23, no. 2, pp. 79-86, Jun. 2006, doi: 10.1111/j.1741-2358.2006.00112.x. [Online]. Available: http://qmul.summon.serialssolutions.com/2.0.0/link/0/eLvHCXMwrV1LbxMxEDbQlhWpKo_ySAvSXjim3bXX61iqKqUlGUsvVRBHy157xQHS0myl9N8zM15v0sABVdw8dtYbx2P782S-GcYEP8qHG3tCFUYBb2IOg7fUDZ7advN8H8P8GknUmG8zcT4tjzM0fyS2dlwW0Zvfcj3Q7r223KNPTjFEyufqvwV-tDy2Do0FdfuEbQPMwVW7Pb44u7js72NS8RilU5RixC83HX3-0um906vbw_uT6ykSW4X92EunVPT5yzZNZJ_ShrUr5-3Pzra2J9xIP_H8F-wvQ7bZuOojC_Z4zB_xXY-oT8SppTbf7Qz zk7cKUW0PTI2p117hXlnBh9rvgeswrABJEM5MjWTFfmdSeoyjpNo5556X6NrUL0LgMsDNVNCdOrToh0I9XITyDMN7aSpijzt4T6RZE9nc1is2rvlu8HHI9xIAdktNzQCmKC77CqVV279WR8x9zX7Op3Mzr8Mu1wUw7pQmC5Cl1Z6wL8W8FQuYOdyI8-5dXXZiCLYplRawi8vVJpXI-0D1wB9vKqaXNsiSPGG7VrklMxb4jb6dyzTBTxe1Tqowpe-tlqFxmVnQUYqqQcsClpm7mOsUfM2p0Npt3gtGMm0eibyM1ywN6iVhrcnnD6TQH3QaEAB0JLVNRVX1WIAJrKA_Yxam7fws2Cm9wIoUopcozJaNplCz1sfA7QrEDQOGCStPofv6b5PLmEwsEDnztzkz6lpDK1h79kWThj4wLZwLf0GXE5RUA

[12]

Ishida, Yuichi, 'Duplication of complete dentures using general-purpose handheld optical scanner and 3-dimensional printer: Introduction and clinical considerations', *Journal of Prosthodontic Research*, vol. 61, no. 1, pp. 81-86, 2017, doi: 10.1016/j.jpor.2016.06.002. [Online]. Available: http://qmul.summon.serialssolutions.com/2.0.0/link/0/eLvHCXMwtV3ra9swEBddV9hgjD1p9gB9mPYluEssvzS6guM4DFa6fUgZ-2RsS2r6TNbE_9P-zN1JtuN0_dDBBiE4I5Nwovv5Tqd7EMLdvYFz45kAakp7bqGVUloGPteuEoVGWwMMAh2aXOUPTyZeOnUPt-41B7xr2n9deKDB0mMi7V8sfjjspEOAaRADeQQjg_U5iMK7aA-o2ghzs5L40ykYt-5VxFpzY6tPOAv53jGBHf_pMXcj-fLGqEydzbNjJlzhq4I7EngK3n0UfPIJ648xjdi7aAbBPj3OZdlNvf0I5_8E-L-BtmoMxgn3y1MuH9HUebPWzC9LOZDT-YL6vzTtjuallJyWZP83PkacOK5qZNIChP8utqjYTzqR3wozota_7a-WGzPI2gsjRkscdGKUt9jkYs5iwN2Igz4bMU6DG8-kgSwOebi4TFCUsjZIVrGD-CAR5-FY9ZPDEzhkwMcUakBGaihlm4ox-iiDtYn6erQGw1-Q2gWG1gm9E0dkVwq8ayzpOzvTPYbmGkYWDKyQ7ctX5uoyZNVhisJvDjkAusqgkCNoex8HI8hE29DxNM8TE7SzDmlp_xCeYpMT62iHyPFeUv5Wm5-qSunOMvWIAgEKAg7sfx1_h7Y8QE3tD0xGI_b51vZkMjb97rhk23Azdl6IXsYF5VtbzVojPW2_QJeVwLGY0tQJ6SLXX1jDwYY6gcdjt8Tn7tFwcdRox_KA4okOaaNpBpSA1yzGeDHnoDPbRBD63RQ2v0UKDtdfTQGj0faRc7hq_BDt3EzgtYPEmnyWen7mLilLB7ch1eimHBBzpUhSi9YDhUsnRL7oWR4IKKiOdCD4TkSolu1a4HXLkvAu2VlfcWBX9JHuWY7YLYAxzIXUJV6EWB1KEOpOvB81OoHGbvVvQlqOBQ90i_WZBsYavWZE0451mGy5fh8mUmptXtkdiuWctrJC0DCcvgi-xkDkOy8VEG0pV1ZCtDycqsXPXlrl3udg7YJ0TYPyLokXddAWgZTF2AwBslbtzhPTK8C1tSty7Akh2rV__gzl-Th_hksW7VN2R7dV2pt2T752V18RsdqCU0

[13]

Watson, D, 'An update on the replica denture technique', *Dental update*, vol. 37, no. 4, pp. 230-235, May 2010 [Online]. Available: https://qmul.summon.serialssolutions.com/2.0.0/link/0/eLvHCXMwtV1bi9QwFA66CiuleN_xR

I_0Zexuc5uksC4M4w7LKr446z6GpElBdOo604I_35MmvTggrA--IPY0bWfyHXJuOecgRMlhlu6sC
YaDEYZx4TTI1gktMeM5SPISrIWCTsX2L1d0sWSñK_JxaMo30P4r8EAD6H0i7T-A378UCHAOLAB
HYAI4XosN5tW0ufjWfYwK-CCB99NNbStt3LQv4jpWU9-HJMnw5OC6W8SN8Ode390O-3rPdFX
p1j_z5XDlbnBrtwkx_X5X8aWut2NSdDeESHl0N8Q0KyD4LgrjJTtUbYmswsbrYQy6uHjFB7HTh
dp3pFG_RxC4wpmkeyNL4K-tl-L-p2r0osPN9EtQgX37So-n3_qxC6DxUqGkFH4fX8oGvtrvfnW
NqcZaRq3feJPsx3pE6v76F40BJJ5gOwBuuGqh2jfT3zbf-8RWWh6bk3mVBAYOj8xJAoQfVQIgjHHE
jhqx7C57SD3hMbpYnq4WZ2nsepEWWM5YShh1BQOtmlhsaVmW2khqKdEFaGsG5wJzl0oYik
2RZ7YQM06oAS1_VmaZ5Zo-QXe1z46o6jaL0h6gxGiKtcG0pD6WT4UW0pvOjicSPmLFBL3t5k
pdhSonyluHJJ9Jbf-hUZ4VFBWKKYB0gtj-Pq83_mmY834wyTgRLlcPvw4gDHfUlqhMCeHjz2AfyE
zVv-0jOtgZ17PHs7_feo7uDCz8Au3Vm8a9RHs_1833Vy3z_AZPKm3s