

# ICM7078 Diagnostic Tools in Critical Illness

Diagnostic Tools in Critical Illness

View Online



[1]

(423) Pinterest: <https://www.pinterest.co.uk/pin/7459155609437074/?!p=true>.

[2]

Abdominal trauma | Radiology Reference Article | Radiopaedia.org:  
<https://radiopaedia.org/articles/abdominal-trauma>.

[3]

Abdominal x-ray review: ABDO X (summary) | Radiology Reference Article |  
Radiopaedia.org: <https://radiopaedia.org/articles/abdominal-x-ray-review-abdo-x-summary>.

[4]

Acheampong, A. and Vincent, J.-L. 2015. A positive fluid balance is an independent prognostic factor in patients with sepsis. *Critical Care*. 19, 1 (Dec. 2015).  
DOI:<https://doi.org/10.1186/s13054-015-0970-1>.

[5]

Acute pancreatitis | Radiology Reference Article | Radiopaedia.org:  
<https://radiopaedia.org/articles/acute-pancreatitis>.

[6]

Agricola, E. et al. 2005. "Ultrasound Comet-Tail Images": A Marker Of Pulmonary Edema. *Chest*. 127, 5 (May 2005), 1690–1695. DOI:<https://doi.org/10.1378/chest.127.5.1690>.

[7]

Al Deeb, M. et al. 2014. Point-of-care Ultrasonography for the Diagnosis of Acute Cardiogenic Pulmonary Edema in Patients Presenting With Acute Dyspnea: A Systematic Review and Meta-analysis. *Academic Emergency Medicine*. 21, 8 (Aug. 2014), 843–852. DOI:<https://doi.org/10.1111/acem.12435>.

[8]

Antonakaki, D. et al. 2016. Epstein-Barr futile myocarditis requiring urgent orthotopic heart transplantation. *Perfusion*. 31, 5 (Jul. 2016), 431–432. DOI:<https://doi.org/10.1177/0267659115618460>.

[9]

Atkinson, N.S.S. et al. 2017. How to perform gastrointestinal ultrasound: Anatomy and normal findings. *World Journal of Gastroenterology*. 23, 38 (Oct. 2017), 6931–6941. DOI:<https://doi.org/10.3748/wjg.v23.i38.6931>.

[10]

Atkinson, P. et al. 2017. International Federation for Emergency Medicine Consensus Statement: Sonography in hypotension and cardiac arrest (SHoC): An international consensus on the use of point of care ultrasound for undifferentiated hypotension and during cardiac arrest. *CJEM*. 19, 06 (Nov. 2017), 459–470. DOI:<https://doi.org/10.1017/cem.2016.394>.

[11]

Atkinson, P. et al. 2017. International Federation for Emergency Medicine Consensus Statement: Sonography in hypotension and cardiac arrest (SHoC): An international consensus on the use of point of care ultrasound for undifferentiated hypotension and during cardiac arrest. *CJEM*. 19, 06 (Nov. 2017), 459–470. DOI:<https://doi.org/10.1017/cem.2016.394>.

[12]

Atkinson, P.R. et al. 2018. Does Point-of-Care Ultrasonography Improve Clinical Outcomes in Emergency Department Patients With Undifferentiated Hypotension? An International Randomized Controlled Trial From the SHoC-ED Investigators. *Annals of Emergency Medicine*. (Jun. 2018). DOI:<https://doi.org/10.1016/j.annemergmed.2018.04.002>.

[13]

Baumgartner, H. et al. 2009. Echocardiographic assessment of valve stenosis: EAE/ASE recommendations for clinical practice. *European Journal of Echocardiography*. 10, 1 (Jan. 2009), 1–25. DOI:<https://doi.org/10.1093/ejechocard/jen303>.

[14]

Bloom, B.M. et al. 2014. The role of venous blood gas in the Emergency Department. *European Journal of Emergency Medicine*. 21, 2 (Apr. 2014), 81–88. DOI:<https://doi.org/10.1097/MEJ.0b013e32836437cf>.

[15]

Bonita Anderson 31AD. *Echocardiography: The Normal Examination and Echocardiographic Measurements*. Echotext Pty Ltd; 3rd Revised edition edition.

[16]

Bowel obstruction | Radiology Reference Article | Radiopaedia.org:  
<https://radiopaedia.org/articles/bowel-obstruction>.

[17]

Breitkreutz, R. et al. 2007. Focused echocardiographic evaluation in resuscitation management: Concept of an advanced life support-conformed algorithm. *Critical Care Medicine*. 35, Suppl (May 2007), S150–S161. DOI:<https://doi.org/10.1097/01.CCM.0000260626.23848.FC>.

[18]

Browning, R. et al. 2014. Peripheral venous and arterial lactate agreement in septic patients in the Emergency Department. *European Journal of Emergency Medicine*. 21, 2 (Apr. 2014), 139–141. DOI:<https://doi.org/10.1097/MEJ.0b013e328361321c>.

[19]

Cai, Q. et al. 2013. The left bundle-branch block puzzle in the 2013 ST-elevation myocardial infarction guideline: From falsely declaring emergency to denying reperfusion in a high-risk population. Are the Sgarbossa Criteria ready for prime time? *American Heart Journal*. 166, 3 (Sep. 2013), 409–413. DOI:<https://doi.org/10.1016/j.ahj.2013.03.032>.

[20]

Caiulo, V.A. et al. 2011. Lung ultrasound in bronchiolitis: comparison with chest X-ray. *European Journal of Pediatrics*. 170, 11 (Nov. 2011), 1427–1433. DOI:<https://doi.org/10.1007/s00431-011-1461-2>.

[21]

Chaikof, E.L. et al. 2009. The care of patients with an abdominal aortic aneurysm: The Society for Vascular Surgery practice guidelines. *Journal of Vascular Surgery*. 50, 4 (Oct. 2009), S2–S49. DOI:<https://doi.org/10.1016/j.jvs.2009.07.002>.

[22]

Chiem, A.T. et al. 2015. Comparison of Expert and Novice Sonographers' Performance in Focused Lung Ultrasonography in Dyspnea (FLUID) to Diagnose Patients With Acute Heart Failure Syndrome. *Academic Emergency Medicine*. 22, 5 (May 2015), 564–573. DOI:<https://doi.org/10.1111/acem.12651>.

[23]

Claire-Del Granado, R. and Mehta, R.L. 2016. Fluid overload in the ICU: evaluation and management. *BMC Nephrology*. 17, 1 (Dec. 2016). DOI:<https://doi.org/10.1186/s12882-016-0323-6>.

[24]

Coca, S.G. et al. 2010. The duration of postoperative acute kidney injury is an additional parameter predicting long-term survival in diabetic veterans. *Kidney International*. 78, 9 (Nov. 2010), 926–933. DOI:<https://doi.org/10.1038/ki.2010.259>.

[25]

Contrast Manual | American College of Radiology:  
<https://www.acr.org/Clinical-Resources/Contrast-Manual>.

[26]

Copetti, R. et al. 2008. Chest sonography: a useful tool to differentiate acute cardiogenic pulmonary edema from acute respiratory distress syndrome. *Cardiovascular Ultrasound*. 6, 1 (Apr. 2008). DOI:<https://doi.org/10.1186/1476-7120-6-16>.

[27]

Cortellaro, F. et al. 2012. Lung ultrasound is an accurate diagnostic tool for the diagnosis of pneumonia in the emergency department. *Emergency Medicine Journal*. 29, 1 (Jan. 2012), 19–23. DOI:<https://doi.org/10.1136/emj.2010.101584>.

[28]

Coursebook transgit ch08 by EFSUMB - Issuu:  
[https://issuu.com/efsumb/docs/coursebook-transgit\\_ch08?e=3336122/6603975](https://issuu.com/efsumb/docs/coursebook-transgit_ch08?e=3336122/6603975).

[29]

Ding, W. et al. 2011. Diagnosis of Pneumothorax by Radiography and Ultrasonography. *Chest*. 140, 4 (Oct. 2011), 859–866. DOI:<https://doi.org/10.1378/chest.10-2946>.

[30]

Does contrast cause kidney injury? The evidence - First10EM: <https://first10em.com/cin/>.

[31]

Fair, J. et al. 2019. Transesophageal Echocardiography During Cardiopulmonary Resuscitation Is Associated With Shorter Compression Pauses Compared With Transthoracic Echocardiography. *Annals of Emergency Medicine*. (Feb. 2019). DOI:<https://doi.org/10.1016/j.annemergmed.2019.01.018>.

[32]

Focussed Assessment with Sonography for Trauma (FAST) scan | Radiology Reference Article | Radiopaedia.org:  
<https://radiopaedia.org/articles/focussed-assessment-with-sonography-for-trauma-fast-scan>.

[33]

Frassi, F. et al. 2007. Prognostic Value of Extravascular Lung Water Assessed With Ultrasound Lung Comets by Chest Sonography in Patients With Dyspnea and/or Chest Pain. *Journal of Cardiac Failure*. 13, 10 (Dec. 2007), 830–835.  
DOI:<https://doi.org/10.1016/j.cardfail.2007.07.003>.

[34]

Gargani, L. et al. 2015. Persistent pulmonary congestion before discharge predicts rehospitalization in heart failure: a lung ultrasound study. *Cardiovascular Ultrasound*. 13, 1 (Dec. 2015). DOI:<https://doi.org/10.1186/s12947-015-0033-4>.

[35]

Gottlieb, M. and Russell, F.M. 2018. How Safe Is the Ultrasonographically Guided Peripheral Internal Jugular Line? *Annals of Emergency Medicine*. 71, 1 (Jan. 2018), 132–137.  
DOI:<https://doi.org/10.1016/j.annemergmed.2017.08.047>.

[36]

Gulati, V.K. et al. 1996. Mitral annular descent velocity by tissue Doppler echocardiography as an index of global left ventricular function. *The American Journal of Cardiology*. 77, 11 (May 1996), 979–984. DOI:[https://doi.org/10.1016/S0002-9149\(96\)00033-1](https://doi.org/10.1016/S0002-9149(96)00033-1).

[37]

Gunnerson, K. et al. 2006. Lactate versus non-lactate metabolic acidosis: a retrospective outcome evaluation of critically ill patients. *Critical Care*. 10, 1 (2006).  
DOI:<https://doi.org/10.1186/cc3987>.

[38]

Haemoperitoneum | Radiology Reference Article | Radiopaedia.org:  
<https://radiopaedia.org/articles/haemoperitoneum>.

[39]

HeadNeckBrainSpine: <http://headneckbrainspine.com/>.

[40]

Hoffmann, B. et al. 2012. Focus on abnormal air. *European Journal of Emergency Medicine*. 19, 5 (Oct. 2012), 284-291. DOI:<https://doi.org/10.1097/MEJ.0b013e3283543cd3>.

[41]

Houghton, A.R. 2009. *Making sense of echocardiography: a hands-on guide*. Hodder Arnold.

[42]

Intestinal ischaemia | Radiology Reference Article | Radiopaedia.org:  
<https://radiopaedia.org/articles/intestinal-ischaemia>.

[43]

Is Contrast Induced Nephropathy (CIN) Really Not a Thing? - REBEL EM - Emergency Medicine Blog: <http://rebelem.com/contrast-induced-nephropathy-cin-really-not-thing/>.

[44]

Kadappu, K.K. and Thomas, L. 2015. Tissue Doppler Imaging in Echocardiography: Value and Limitations. *Heart, Lung and Circulation*. 24, 3 (Mar. 2015), 224-233. DOI:<https://doi.org/10.1016/j.hlc.2014.10.003>.

[45]

Kaddoura, S. 2009. Echo made easy. Churchill Livingstone.

[46]

Kanani, A.N. and Hartshorn, S. 2017. NICE clinical guideline NG39: Major trauma: assessment and initial management. Archives of disease in childhood - Education & practice edition. 102, 1 (Feb. 2017), 20-23.  
DOI:<https://doi.org/10.1136/archdischild-2016-310869>.

[47]

Kaplan, L.J. and Kellum, J.A. 2007. COMPARISON OF ACID BASE MODELS FOR PREDICTION OF HOSPITAL MORTALITY FOLLOWING TRAUMA. Shock. (Dec. 2007).  
DOI:<https://doi.org/10.1097/shk.0b013e3181618946>.

[48]

Kelly, A.-M. et al. 2014. Agreement between mathematically arterialised venous versus arterial blood gas values in patients undergoing non-invasive ventilation: a cohort study. Emergency Medicine Journal. 31, e1 (Oct. 2014), e46-e49.  
DOI:<https://doi.org/10.1136/emmermed-2013-202879>.

[49]

Labovitz, A.J. et al. 2010. Focused Cardiac Ultrasound in the Emergent Setting: A Consensus Statement of the American Society of Echocardiography and American College of Emergency Physicians. Journal of the American Society of Echocardiography. 23, 12 (Dec. 2010), 1225-1230. DOI:<https://doi.org/10.1016/j.echo.2010.10.005>.

[50]

Langdorf, M.I. et al. 2015. Prevalence and Clinical Import of Thoracic Injury Identified by Chest Computed Tomography but Not Chest Radiography in Blunt Trauma: Multicenter Prospective Cohort Study. Annals of Emergency Medicine. 66, 6 (Dec. 2015), 589-600.  
DOI:<https://doi.org/10.1016/j.annemergmed.2015.06.003>.

[51]

Laursen, C.B. et al. 2014. Point-of-care ultrasonography in patients admitted with



respiratory symptoms: a single-blind, randomised controlled trial. *The Lancet Respiratory Medicine*. 2, 8 (Aug. 2014), 638–646. DOI:[https://doi.org/10.1016/S2213-2600\(14\)70135-3](https://doi.org/10.1016/S2213-2600(14)70135-3).

[52]

Lederle, F.A. 1999. Does This Patient Have Abdominal Aortic Aneurysm? *JAMA*. 281, 1 (Jan. 1999). DOI:<https://doi.org/10.1001/jama.281.1.77>.

[53]

Leidel, B.A. et al. 2012. Comparison of intraosseous versus central venous vascular access in adults under resuscitation in the emergency department with inaccessible peripheral veins. *Resuscitation*. 83, 1 (Jan. 2012), 40–45. DOI:<https://doi.org/10.1016/j.resuscitation.2011.08.017>.

[54]

Libby, P. 2013. Mechanisms of Acute Coronary Syndromes and Their Implications for Therapy. *New England Journal of Medicine*. 368, 21 (May 2013), 2004–2013. DOI:<https://doi.org/10.1056/NEJMra1216063>.

[55]

Long, B. and April, M.D. 2019. What Is the Diagnostic Accuracy of Point-of-Care Ultrasonography in Patients With Suspected Blunt Thoracoabdominal Trauma? *Annals of Emergency Medicine*. (Feb. 2019). DOI:<https://doi.org/10.1016/j.annemergmed.2019.01.016>.

[56]

Lower gastrointestinal bleeding | Radiology Reference Article | Radiopaedia.org: <https://radiopaedia.org/articles/lower-gastrointestinal-bleeding>.

[57]

Lyon, R.M. et al. 2010. Issues around conducting prehospital research on out-of-hospital cardiac arrest: lessons from the TOPCAT study. *Emergency Medicine Journal*. 27, 8 (Aug. 2010), 637–638. DOI:<https://doi.org/10.1136/emj.2009.087395>.

[58]

Martindale, J.L. et al. 2016. Diagnosing Acute Heart Failure in the Emergency Department: A Systematic Review and Meta-analysis. *Academic Emergency Medicine*. 23, 3 (Mar. 2016), 223-242. DOI:<https://doi.org/10.1111/acem.12878>.

[59]

McGiverny, K. et al. 2018. Emergency department ultrasound for the detection of B-lines in the early diagnosis of acute decompensated heart failure: a systematic review and meta-analysis. *CJEM*. 20, 03 (May 2018), 343-352. DOI:<https://doi.org/10.1017/cem.2018.27>.

[60]

McKeever, T.M. et al. 2016. Using venous blood gas analysis in the assessment of COPD exacerbations: a prospective cohort study. *Thorax*. 71, 3 (Mar. 2016), 210-215. DOI:<https://doi.org/10.1136/thoraxjnl-2015-207573>.

[61]

Meyers, H.P. et al. 2015. Validation of the modified Sgarbossa criteria for acute coronary occlusion in the setting of left bundle branch block: A retrospective case-control study. *American Heart Journal*. 170, 6 (Dec. 2015), 1255-1264. DOI:<https://doi.org/10.1016/j.ahj.2015.09.005>.

[62]

Michard, F. and Teboul, J.-L. 2000. Using heart-lung interactions to assess fluid responsiveness during mechanical ventilation. *Critical Care*. 4, 5 (2000). DOI:<https://doi.org/10.1186/cc710>.

[63]

Millington, S.J. and Koenig, S. 2018. Better With Ultrasound. *Chest*. 153, 1 (Jan. 2018), 224-232. DOI:<https://doi.org/10.1016/j.chest.2017.06.043>.

[64]

Moriwaki, Y. 2009. Ultrasonography for the Diagnosis of Intrapertitoneal Free Air in Chest-Abdominal-Pelvic Blunt Trauma and Critical Acute Abdominal Pain. *Archives of Surgery*. 144, 2 (Feb. 2009). DOI:<https://doi.org/10.1001/archsurg.2008.553>.

[65]

MR Safety | American College of Radiology:  
<https://www.acr.org/Clinical-Resources/Radiology-Safety/MR-Safety>.

[66]

Muslu, B. et al. 2011. Use of Sonography for Rapid Identification of Esophageal and Tracheal Intubations in Adult Patients. *Journal of Ultrasound in Medicine*. 30, 5 (May 2011), 671-676. DOI:<https://doi.org/10.7863/jum.2011.30.5.671>.

[67]

Nagdev, A. and Mantuani, D. 2013. A novel in-plane technique for ultrasound-guided pericardiocentesis. *The American Journal of Emergency Medicine*. 31, 9 (Sep. 2013), 1424.e5-1424.e9. DOI:<https://doi.org/10.1016/j.ajem.2013.05.021>.

[68]

Neeland, I.J. et al. 2012. Evolving Considerations in the Management of Patients With Left Bundle Branch Block and Suspected Myocardial Infarction. *Journal of the American College of Cardiology*. 60, 2 (Jul. 2012), 96-105. DOI:<https://doi.org/10.1016/j.jacc.2012.02.054>.

[69]

Oveland, N.P. et al. 2013. Using Thoracic Ultrasonography to Accurately Assess Pneumothorax Progression During Positive Pressure Ventilation. *Chest*. 143, 2 (Feb. 2013), 415-422. DOI:<https://doi.org/10.1378/chest.12-1445>.

[70]

Overview of abdominal aortic aneurysm - UpToDate:  
<https://www.uptodate.com/contents/overview-of-abdominal-aortic-aneurysm>.

[71]

Paquet, A.-L. et al. 2016. Agreement between arterial and venous lactate in emergency department patients. *European Journal of Emergency Medicine*. (Nov. 2016). DOI:<https://doi.org/10.1016/j.ajem.2019.01.034>.

[72]

Perera, P. et al. 2010. The RUSH Exam: Rapid Ultrasound in SHock in the Evaluation of the Critically Ill. *Emergency Medicine Clinics of North America*. 28, 1 (Feb. 2010), 29-56. DOI:<https://doi.org/10.1016/j.emc.2009.09.010>.

[73]

Pivetta, E. et al. 2015. Lung Ultrasound-Implemented Diagnosis of Acute Decompensated Heart Failure in the ED. *Chest*. 148, 1 (Jul. 2015), 202-210. DOI:<https://doi.org/10.1378/chest.14-2608>.

[74]

Ponikowski, P. et al. 2016. 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. *European Heart Journal*. 37, 27 (Jul. 2016), 2129-2200. DOI:<https://doi.org/10.1093/eurheartj/ehw128>.

[75]

Price, S. et al. 2008. Echocardiography practice, training and accreditation in the intensive care: document for the World Interactive Network Focused on Critical Ultrasound (WINFOCUS). *Cardiovascular Ultrasound*. 6, 1 (Dec. 2008). DOI:<https://doi.org/10.1186/1476-7120-6-49>.

[76]

Quinn, A.C. and Sinert, R. 2011. What is the utility of the Focused Assessment with Sonography in Trauma (FAST) exam in penetrating torso trauma? *Injury*. 42, 5 (May 2011), 482-487. DOI:<https://doi.org/10.1016/j.injury.2010.07.249>.

[77]

Rodriguez, R.M. et al. 2006. A prospective study on esophageal Doppler hemodynamic assessment in the ED. *The American Journal of Emergency Medicine*. 24, 6 (Oct. 2006), 658–663. DOI:<https://doi.org/10.1016/j.ajem.2006.02.006>.

[78]

Rossaint, R. et al. 2010. Management of bleeding following major trauma: an updated European guideline. *Critical Care*. 14, 2 (2010). DOI:<https://doi.org/10.1186/cc8943>.

[79]

Russell, F.M. et al. 2015. Diagnosing Acute Heart Failure in Patients With Undifferentiated Dyspnea: A Lung and Cardiac Ultrasound (LuCUS) Protocol. *Academic Emergency Medicine*. 22, 2 (Feb. 2015), 182–191. DOI:<https://doi.org/10.1111/acem.12570>.

[80]

Sauter, T.C. et al. 2017. Detection of pneumothoraces in patients with multiple blunt trauma: use and limitations of eFAST. *Emergency Medicine Journal*. 34, 9 (Sep. 2017), 568–572. DOI:<https://doi.org/10.1136/emered-2016-205980>.

[81]

Seraphim, A. et al. 2016. Pocket-Sized Echocardiography Devices: One Stop Shop Service? *Journal of Cardiovascular Ultrasound*. 24, 1 (2016). DOI:<https://doi.org/10.4250/jcu.2016.24.1.1>.

[82]

Sgarbossa, E.B. et al. 1996. Early electrocardiographic diagnosis of acute myocardial infarction in the presence of ventricular paced rhythm. *The American Journal of Cardiology*. 77, 5 (Feb. 1996), 423–424. DOI:[https://doi.org/10.1016/S0002-9149\(97\)89377-0](https://doi.org/10.1016/S0002-9149(97)89377-0).

[83]

Sgarbossa, E.B. et al. 1996. Electrocardiographic Diagnosis of Evolving Acute Myocardial Infarction in the Presence of Left Bundle-Branch Block. *New England Journal of Medicine*.

334, 8 (Feb. 1996), 481–487. DOI:<https://doi.org/10.1056/NEJM199602223340801>.

[84]

SGARBOSSA, E.B. 1996. Recent Advances in the Electrocardiographic Diagnosis of Myocardial Infarction: Left Bundle Branch Block and Pacing. *Pacing and Clinical Electrophysiology*. 19, 9 (Sep. 1996), 1370–1379.  
DOI:<https://doi.org/10.1111/j.1540-8159.1996.tb04217.x>.

[85]

Smith, S.W. et al. 2012. Diagnosis of ST-Elevation Myocardial Infarction in the Presence of Left Bundle Branch Block With the ST-Elevation to S-Wave Ratio in a Modified Sgarbossa Rule. *Annals of Emergency Medicine*. 60, 6 (Dec. 2012), 766–776.  
DOI:<https://doi.org/10.1016/j.annemergmed.2012.07.119>.

[86]

Soft Tissue Ultrasound: <https://www.acep.org/sonoguide/basic/soft-tissue-ultrasound/>.

[87]

Stewart, J. and National Confidential Enquiry into Patient Outcome and Death 2009. Adding insult to injury: a review of the care of patients who died in hospital with a primary diagnosis of acute kidney injury (acute renal failure). *National Confidential Enquiry into Patient Outcome and Death*.

[88]

Surgical haemostatic material | Radiology Reference Article | Radiopaedia.org:  
<https://radiopaedia.org/articles/surgical-haemostatic-material>.

[89]

The Radiology Assistant : Welcome to the Radiology Assistant: <http://radiologyassistant.nl/>.

[90]

Theerawit, P. et al. 2018. The Correlation Between Arterial Lactate and Venous Lactate in Patients With Sepsis and Septic Shock. *Journal of Intensive Care Medicine*. 33, 2 (Feb. 2018), 116–120. DOI:<https://doi.org/10.1177/0885066616663169>.

[91]

Theerawit, P. et al. 2018. The Correlation Between Arterial Lactate and Venous Lactate in Patients With Sepsis and Septic Shock. *Journal of Intensive Care Medicine*. 33, 2 (Feb. 2018), 116–120. DOI:<https://doi.org/10.1177/0885066616663169>.

[92]

Ultrasound in the evaluation of penetrating thoraco-abdominal trauma: a review of the literature:  
<http://www.medultrason.ro/ultrasound-in-the-evaluation-of-penetrating-thoraco-abdominal-trauma-a-review-of-the-literature/>.

[93]

Via, G. et al. 2014. International Evidence-Based Recommendations for Focused Cardiac Ultrasound. *Journal of the American Society of Echocardiography*. 27, 7 (Jul. 2014), 683.e1-683.e33. DOI:<https://doi.org/10.1016/j.echo.2014.05.001>.

[94]

Volpicelli, G. et al. 2008. Bedside ultrasound of the lung for the monitoring of acute decompensated heart failure. *The American Journal of Emergency Medicine*. 26, 5 (Jun. 2008), 585–591. DOI:<https://doi.org/10.1016/j.ajem.2007.09.014>.

[95]

Volpicelli, G. et al. 2012. International evidence-based recommendations for point-of-care lung ultrasound. *Intensive Care Medicine*. 38, 4 (Apr. 2012), 577–591. DOI:<https://doi.org/10.1007/s00134-012-2513-4>.

[96]

Xirouchaki, N. et al. 2011. Lung ultrasound in critically ill patients: comparison with bedside chest radiography. *Intensive Care Medicine*. 37, 9 (Sep. 2011), 1488–1493. DOI:<https://doi.org/10.1007/s00134-011-2317-y>.

[97]

Yunos, N.M. et al. 2012. Association Between a Chloride-Liberal vs Chloride-Restrictive Intravenous Fluid Administration Strategy and Kidney Injury in Critically Ill Adults. *JAMA*. 308, 15 (Oct. 2012). DOI:<https://doi.org/10.1001/jama.2012.13356>.

[98]

Zanobetti, M. et al. 2011. Can Chest Ultrasonography Replace Standard Chest Radiography for Evaluation of Acute Dyspnea in the ED? *Chest*. 139, 5 (May 2011), 1140–1147. DOI:<https://doi.org/10.1378/chest.10-0435>.

[99]

2013. 2-E5: Critical Care Medicine 2. *Respirology*. 18, (Nov. 2013), 195–197. DOI:[https://doi.org/10.1111/resp.12184\\_44](https://doi.org/10.1111/resp.12184_44).

[100]

*American Journal of Respiratory and Critical Care Medicine*.

[101]

Arteriovenous blood gas agreement in intensive care patients with varying levels of circulatory compromise: a pilot study.

[102]

Best practice recommendations for cleaning and disinfection of ultrasound transducers whilst maintaining transducer integrity.

[103]



2010. Coronary Disease in Emergency Department Chest Pain Patients with Recent Negative Stress Testing. *Western Journal of Emergency Medicine*. 11, 4 (2010).

[104]

Kidney Disease: Improving Global Outcomes (KDIGO) Acute Kidney Injury Work Group. KDIGO Clinical Practice Guideline for Acute Kidney Injury.

[105]

Percutaneous balloon dilatation of the mitral valve: An analysis of echocardiographic variables related to outcome and the mechanism of dilatation.

[106]

2010. Sgarbossa Criteria are Highly Specific for Acute Myocardial Infarction with Pacemakers. *Western Journal of Emergency Medicine*. 11, 4 (2010).

[107]

Sonography in Hypotension and Cardiac Arrest (SHoC) Protocol Consensus Statement IFEM.

[108]

Standard of Practice and Guidance for Trauma Radiology in Severely Injured Patients.

[109]

The Role of Ultrasound in Renal Insufficiency: The Essentials. *Ultrasound Quarterly*. 21, 4, 227-244.

[110]

The RUSH Exam: Rapid Ultrasound in Shock in the Evaluation of the Critically Ill.

[111]

Towards evidence-based emergency medicine: best BETs from the Manchester Royal Infirmary.

[112]

Ultrasound-assisted cannulation of the internal jugular vein: A prospective comparison to the external landmark-guided technique.