

# ICM7062 - Trauma to the Pelvis and Torso

[View Online](#)

Adler, E. (2011) 'Defining the Limits of Resuscitative Emergency Department Thoracotomy: A Contemporary Western Trauma Association Perspective', *The Journal of Emergency Medicine*, 41(2), pp. 231–232. Available at: <https://doi.org/10.1016/j.jemermed.2011.06.028>.

Blunt Hepatic Injury, Selective Nonoperative Management of - Practice Management Guideline (no date). Available at: <https://www.east.org/education-resources/practice-management-guidelines/details/hepatic-injury-blunt-selective-nonoperative-management-of>.

Burlew, C.C. (2017) 'Preperitoneal pelvic packing for exsanguinating pelvic fractures', *International Orthopaedics*, 41(9), pp. 1825–1829. Available at: <https://doi.org/10.1007/s00264-017-3485-3>.

Cheatham, M.L. et al. (2007) 'Results from the International Conference of Experts on Intra-abdominal Hypertension and Abdominal Compartment Syndrome. II. Recommendations', *Intensive Care Medicine*, 33(6), pp. 951–962. Available at: <https://doi.org/10.1007/s00134-007-0592-4>.

Crichton, J.C.I. et al. (2017) 'The role of splenic angioembolization as an adjunct to nonoperative management of blunt splenic injuries', *Journal of Trauma and Acute Care Surgery*, 83(5), pp. 934–943. Available at: <https://doi.org/10.1097/TA.0000000000001649>.

Demetriades, D. et al. (2002) 'Pelvic fractures: epidemiology and predictors of associated abdominal injuries and outcomes<sup>1</sup> 1No competing interests declared.', *Journal of the American College of Surgeons*, 195(1), pp. 1–10. Available at: [https://doi.org/10.1016/S1072-7515\(02\)01197-3](https://doi.org/10.1016/S1072-7515(02)01197-3).

Filiberto, D.M. and Fox, A.D. (2016) 'Preperitoneal pelvic packing: Technique and outcomes', *International Journal of Surgery*, 33, pp. 222–224. Available at: <https://doi.org/10.1016/j.ijvs.2016.05.072>.

Gustavo Parreira, J. et al. (2000) 'The role of associated injuries on outcome of blunt trauma patients sustaining pelvic fractures', *Injury*, 31(9), pp. 677–682. Available at: [https://doi.org/10.1016/S0020-1383\(00\)00074-7](https://doi.org/10.1016/S0020-1383(00)00074-7).

Huh, J. et al. (2003) 'Surgical management of traumatic pulmonary injury', *The American Journal of Surgery*, 186(6), pp. 620–624. Available at: <https://doi.org/10.1016/j.amjsurg.2003.08.013>.

Kozar, R.A. (2006) 'Risk Factors for Hepatic Morbidity Following Nonoperative Management', *Archives of Surgery*, 141(5). Available at: <https://doi.org/10.1001/archsurg.141.5.451>.

Kozar, R.A. and McNutt, M.K. (2010) 'Management of adult blunt hepatic trauma', *Current Opinion in Critical Care*, 16(6), pp. 596–601. Available at: <https://doi.org/10.1097/MCC.0b013e32833f5cd5>.

Mattox, Kenneth L., Moore, Ernest Eugene, and Feliciano, David V. (2013) *Trauma*. 7th ed. New York: McGraw-Hill Medical.

Noser, J. et al. (2018) 'Mid-term follow-up after surgical treatment of fragility fractures of the pelvis', *Injury*, 49(11), pp. 2032–2035. Available at: <https://doi.org/10.1016/j.injury.2018.09.017>.

Pancreatic Trauma, Diagnosis and Management of - Practice Management Guideline (no date). Available at: <https://www.east.org/education-resources/practice-management-guidelines/archived/pancreatic-trauma-diagnosis-and-management-of>.

Patterson, L (2002) 'Practice management guidelines for the evaluation of blunt abdominal trauma: The EAST practice management guidelines work group', *JOURNAL OF TRAUMA-INJURY INFECTION AND CRITICAL CARE*, 53(3), pp. 602–615. Available at: <https://doi.org/10.1097/01.TA.0000025413.43206.97>.

'Practice management guidelines for prophylactic antibiotic use in penetrating abdominal trauma: The EAST Practice management guidelines work group' (2001) *The American Journal of Emergency Medicine*, 19(5). Available at: [https://doi.org/10.1016/S0735-6757\(01\)80146-7](https://doi.org/10.1016/S0735-6757(01)80146-7).

Sathy, A.K. et al. (2009) 'The Effect of Pelvic Fracture on Mortality After Trauma: An Analysis of 63,000 Trauma Patients', *The Journal of Bone and Joint Surgery-American Volume*, 91(12), pp. 2803–2810. Available at: <https://doi.org/10.2106/JBJS.H.00598>.

Shrestha, B. et al. (2015) 'Damage-control resuscitation increases successful nonoperative management rates and survival after severe blunt liver injury', *Journal of Trauma and Acute Care Surgery*, 78(2), pp. 336–341. Available at: <https://doi.org/10.1097/TA.0000000000000514>.

'The Bone & Joint Journal' (no date). Available at: <https://online.boneandjoint.org.uk/doi/full/10.1302/0301-620X.96B8.33383>.

The EAST approach to guideline development using GRADE methodology (no date). Available at: <http://www.east.org/resources/treatment-guidelines>.

Wiley, M. et al. (2018) 'Complications After Pelvic Arteriography in Patients With Pelvic Ring Disruptions', *Journal of the American Academy of Orthopaedic Surgeons*, 26(21), pp. 765–772. Available at: <https://doi.org/10.5435/JAAOS-D-17-00198>.

Zarzaur, B.L. et al. (2017) 'Natural history of splenic vascular abnormalities after blunt injury', *Journal of Trauma and Acute Care Surgery*, 83(6), pp. 999–1005. Available at:

<https://doi.org/10.1097/TA.0000000000001597>.