

ICM7062 - Trauma to the Pelvis and Torso

View Online



[1]

R. A. Kozar, 'Risk Factors for Hepatic Morbidity Following Nonoperative Management', *Archives of Surgery*, vol. 141, no. 5, May 2006, doi: 10.1001/archsurg.141.5.451.

[2]

R. A. Kozar and M. K. McNutt, 'Management of adult blunt hepatic trauma', *Current Opinion in Critical Care*, vol. 16, no. 6, pp. 596–601, Dec. 2010, doi: 10.1097/MCC.0b013e32833f5cd5.

[3]

B. Shrestha et al., 'Damage-control resuscitation increases successful nonoperative management rates and survival after severe blunt liver injury', *Journal of Trauma and Acute Care Surgery*, vol. 78, no. 2, pp. 336–341, Feb. 2015, doi: 10.1097/TA.0000000000000514.

[4]

B. L. Zarzaur et al., 'Natural history of splenic vascular abnormalities after blunt injury', *Journal of Trauma and Acute Care Surgery*, vol. 83, no. 6, pp. 999–1005, Dec. 2017, doi: 10.1097/TA.0000000000001597.

[5]

J. C. I. Crichton, K. Naidoo, B. Yet, S. I. Brundage, and Z. Perkins, 'The role of splenic angioembolization as an adjunct to nonoperative management of blunt splenic injuries', *Journal of Trauma and Acute Care Surgery*, vol. 83, no. 5, pp. 934–943, Nov. 2017, doi: 10.1097/TA.0000000000001649.

[6]

Mattox, Kenneth L., Moore, Ernest Eugene, and Feliciano, David V., Trauma, 7th ed. New York: McGraw-Hill Medical, 2013.

[7]

'The EAST approach to guideline development using GRADE methodology'. [Online]. Available: <http://www.east.org/resources/treatment-guidelines>

[8]

Patterson, L, 'Practice management guidelines for the evaluation of blunt abdominal trauma: The EAST practice management guidelines work group', JOURNAL OF TRAUMA-INJURY INFECTION AND CRITICAL CARE, vol. 53, no. 3, pp. 602-615, Sep. 2002, doi: 10.1097/01.TA.0000025413.43206.97. [Online]. Available: http://wt3cf4et2l.search.serialssolutions.com/?ctx_ver=Z39.88-2004&ctx_enc=info%3Aofi%2Fenc%3AUTF-8&rft_id=info:sid/summon.serialssolutions.com&rft_val_fmt=info:ofi/fmt:kev:mtx:journal&rft.genre=article&rft.atitle=Practice+management+guidelines+for+the+evaluation+of+blunt+abdominal+trauma%3A+The+EAST+practice+management+guidelines+work+group&rft.jtitle=JOURNAL+OF+TRAUMA-INJURY+INFECTION+AND+CRITICAL+CARE&rft.au=Hoff%2C+WS&rft.au=Holevar%2C+M&rft.au=Nagy%2C+KK&rft.au=Patterson%2C+L&rft.date=2002-09-01&rft.pub=LIPPINCOTT+WILLIAMS+%26+WILKINS&rft.issn=0022-5282&rft.eissn=1529-8809&rft.volume=53&rft.issue=3&rft.spage=602&rft.epage=615&rft_id=info:doi/10.1097%2F01.TA.0000025413.43206.97&rft.externalDBID=n%2Fa&rft.externalDocID=000178324700046¶mdict=en-US

[9]

'Blunt Hepatic Injury, Selective Nonoperative Management of - Practice Management Guideline'. [Online]. Available: <https://www.east.org/education-resources/practice-management-guidelines/details/hepatic-injury-blunt-selective-nonoperative-management-of>

[10]

'Pancreatic Trauma, Diagnosis and Management of - Practice Management Guideline'. [Online]. Available: <https://www.east.org/education-resources/practice-management-guidelines/archived/pancreatic-trauma-diagnosis-and-management-of>

[11]

'Practice management guidelines for prophylactic antibiotic use in penetrating abdominal trauma: The EAST Practice management guidelines work group', *The American Journal of Emergency Medicine*, vol. 19, no. 5, Sep. 2001, doi: 10.1016/S0735-6757(01)80146-7.

[Online]. Available:

http://wt3cf4et2l.search.serialssolutions.com/?ctx_ver=Z39.88-2004&ctx_enc=info%3Aofi%2Fenc%3AUTF-8&rft_id=info:sid/summon.serialssolutions.com&rft_val_fmt=info:ofi/fmt:kev:mtx:journal&rft.genre=article&rft.atitle=Practice+management+guidelines+for+prophylactic+antibiotic+use+in+penetrating+abdominal+trauma%3A+The+EAST+Practice+management+guidelines+work+group&rft.jtitle=American+Journal+of+Emergency+Medicine&rft.date=2001&rft.pub=Elsevier+Inc&rft.issn=0735-6757&rft.eissn=1532-8171&rft.volume=19&rft.issue=5&rft.spage=448&rft.epage=448&rft_id=info:doi/10.1016%2FS0735-6757%2801%2980146-7&rft.externalDocID=doi_10_1016_S0735_6757_01_80146_7¶mdict=en-US

[12]

M. L. Cheatham et al., 'Results from the International Conference of Experts on Intra-abdominal Hypertension and Abdominal Compartment Syndrome. II.

Recommendations', *Intensive Care Medicine*, vol. 33, no. 6, pp. 951-962, May 2007, doi:

10.1007/s00134-007-0592-4. [Online]. Available:

<http://link.springer.com/article/10.1007/s00134-007-0592-4>

[13]

J. Huh, M. J. Wall, A. L. Estrera, E. R. Soltero, and K. L. Mattox, 'Surgical management of traumatic pulmonary injury', *The American Journal of Surgery*, vol. 186, no. 6, pp.

620-624, Dec. 2003, doi: 10.1016/j.amjsurg.2003.08.013. [Online]. Available:

http://wt3cf4et2l.search.serialssolutions.com/ctx?url_ver=Z39.88-2004&rft.jtitle=The+American+Journal+of+Surgery&rft.atitle=Surgical+management+of+traumatic+pulmonary+injury&rft_id=info%3Adoi%2F10.1016%2Fj.amjsurg.2003.08.013&rft.volume=186&rft.spage=620&rft.issn=00029610&rft.epage=624&rft.issue=6&rft.date=2003-12&rft.aufirst=Joseph&rft.aulast=Huh

[14]

E. Adler, 'Defining the Limits of Resuscitative Emergency Department Thoracotomy: A Contemporary Western Trauma Association Perspective', *The Journal of Emergency Medicine*, vol. 41, no. 2, pp. 231-232, Aug. 2011, doi: 10.1016/j.jemermed.2011.06.028.

[Online]. Available:

http://wt3cf4et2l.search.serialssolutions.com/ctx?url_ver=Z39.88-2004&rft.jtitle=The+Journal+of+Emergency+Medicine&rft.atitle=Defining+the+Limits+of+Resuscitative+Emerg

ncy+Department+Thoracotomy%3A+A%C2%A0Contemporary+Western+Trauma+Associ
ation+Perspective&rft_id=info%3Adoi%2F10.1016%2Fj.jemermed.2011.06.028&rft.volume
=41&rft.spage=231&rft.issn=07364679&rft.epage=232&rft.issue=2&rft.date=2011-8&rft.
aufirst=Erik&rft.aulast=Adler

[15]

D. M. Filiberto and A. D. Fox, 'Preperitoneal pelvic packing: Technique and outcomes',
International Journal of Surgery, vol. 33, pp. 222–224, Sep. 2016, doi:
10.1016/j.ijsu.2016.05.072.

[16]

C. C. Burlew, 'Preperitoneal pelvic packing for exsanguinating pelvic fractures',
International Orthopaedics, vol. 41, no. 9, pp. 1825–1829, Sep. 2017, doi:
10.1007/s00264-017-3485-3.

[17]

J. Noser, M. Dietrich, S. Tiziani, C. M. L. Werner, H.-C. Pape, and G. Osterhoff, 'Mid-term
follow-up after surgical treatment of fragility fractures of the pelvis', Injury, vol. 49, no. 11,
pp. 2032–2035, Nov. 2018, doi: 10.1016/j.injury.2018.09.017.

[18]

M. Wiley, S. Black, C. Martin, J. Barnwell, A. Starr, and A. Sathy, 'Complications After Pelvic
Arteriography in Patients With Pelvic Ring Disruptions', Journal of the American Academy of
Orthopaedic Surgeons, vol. 26, no. 21, pp. 765–772, Nov. 2018, doi:
10.5435/JAAOS-D-17-00198.

[19]

J. Gustavo Parreira, R. Coimbra, S. Rasslan, A. Oliveira, M. Fregoneze, and M. Mercadante,
'The role of associated injuries on outcome of blunt trauma patients sustaining pelvic
fractures', Injury, vol. 31, no. 9, pp. 677–682, Nov. 2000, doi:
10.1016/S0020-1383(00)00074-7.

[20]

D. Demetriades, M. Karaiskakis, K. Toutouzas, K. Alo, G. Velmahos, and L. Chan, 'Pelvic fractures: epidemiology and predictors of associated abdominal injuries and outcomes1
1No competing interests declared.', *Journal of the American College of Surgeons*, vol. 195, no. 1, pp. 1-10, Jul. 2002, doi: 10.1016/S1072-7515(02)01197-3.

[21]

A. K. Sathy et al., 'The Effect of Pelvic Fracture on Mortality After Trauma: An Analysis of 63,000 Trauma Patients', *The Journal of Bone and Joint Surgery-American Volume*, vol. 91, no. 12, pp. 2803-2810, Dec. 2009, doi: 10.2106/JBJS.H.00598.

[22]

'The Bone & Joint Journal' [Online]. Available:
<https://online.boneandjoint.org.uk/doi/full/10.1302/0301-620X.96B8.33383>