ICM7077 - Emergency Care

This module is designed to give students the opportunity to review a wide range of acute medical pathophysiology-disease processes that underpin acute illness, and the skills to manage them.



[1]

Acute Coronary Syndromes (ACS) in patients presenting without persistent ST-segm: https://www.escardio.org/Guidelines/Clinical-Practice-Guidelines/Acute-Coronary-Syndrome s-ACS-in-patients-presenting-without-persistent-ST-segm.

[2]

Adrogue, H.J. and Madias, N.E. 2012. The Challenge of Hyponatremia. Journal of the American Society of Nephrology. 23, 7 (Jul. 2012), 1140–1148. DOI:https://doi.org/10.1681/ASN.2012020128.

[3]

Ahmad, F.U. et al. 2016. A Randomized Clinical Trial of Hypothermia as a Preferred Second-Line Treatment for Elevated Intracranial Pressure After Traumatic Brain Injury. Neurosurgery. 78, 2 (Feb. 2016), N10–N11. DOI:https://doi.org/10.1227/NEU.00000000001171.

[4]

Andrews, P.J.D. et al. 2015. Hypothermia for Intracranial Hypertension after Traumatic Brain Injury. New England Journal of Medicine. 373, 25 (Dec. 2015), 2403–2412. DOI:https://doi.org/10.1056/NEJMoa1507581.

[5]

Andrews, P.J.D. et al. 2015. Hypothermia for Intracranial Hypertension after Traumatic Brain Injury. New England Journal of Medicine. 373, 25 (Dec. 2015), 2403–2412. DOI:https://doi.org/10.1056/NEJMoa1507581.

[6]

Ayling, O.G.S. et al. 2014. Continuous Regional Anaesthesia Provides Effective Pain Management and Reduces Opioid Requirement Following Major Lower Limb Amputation. European Journal of Vascular and Endovascular Surgery. 48, 5 (Nov. 2014), 559–564. DOI:https://doi.org/10.1016/j.ejvs.2014.07.002.

[7]

Beard, D.J. and Wood, P. 2015. Pain in complex trauma: lessons from Afghanistan. BJA Education. 15, 4 (Aug. 2015), 207–212. DOI:https://doi.org/10.1093/bjaceaccp/mku035.

[8]

Bernal, W. et al. 2015. Acute liver failure: A curable disease by 2024? Journal of Hepatology. 62, 1 (Apr. 2015), S112–S120. DOI:https://doi.org/10.1016/j.jhep.2014.12.016.

[9]

Bernal, W. and Wendon, J. 2013. Acute Liver Failure. New England Journal of Medicine. 369, 26 (Dec. 2013), 2525–2534. DOI:https://doi.org/10.1056/NEJMra1208937.

[10]

Blaivas, M. et al. 2011. A Prospective Comparison of Procedural Sedation and Ultrasound-guided Interscalene Nerve Block for Shoulder Reduction in the Emergency Department. Academic Emergency Medicine. 18, 9 (Sep. 2011), 922–927. DOI:https://doi.org/10.1111/j.1553-2712.2011.01140.x.

[11]

Brown, S.A. et al. 2018. Current and prospective therapies for acute liver failure. Disease-a-Month. 64, 12 (Dec. 2018), 493–522. DOI:https://doi.org/10.1016/j.disamonth.2018.04.002.

[12]

BTS/SIGN British guideline on the management of asthma | British Thoracic Society | Better

lung health for all:

https://www.brit-thoracic.org.uk/standards-of-care/guidelines/btssign-british-guideline-on-t he-management-of-asthma/.

[13]

Carney, N. et al. 2016. Guidelines for the Management of Severe Traumatic Brain Injury, Fourth Edition. Neurosurgery. (Sep. 2016). DOI:https://doi.org/10.1227/NEU.00000000001432.

[14]

Carrie, C. et al. 2018. Bundle of care for blunt chest trauma patients improves analgesia but increases rates of intensive care unit admission: A retrospective case-control study. Anaesthesia Critical Care & Pain Medicine. 37, 3 (Jun. 2018), 211–215. DOI:https://doi.org/10.1016/j.accpm.2017.05.008.

[15]

Chauny, J.-M. et al. 2016. Risk of Delayed Intracranial Hemorrhage in Anticoagulated Patients with Mild Traumatic Brain Injury: Systematic Review and Meta-Analysis. The Journal of Emergency Medicine. 51, 5 (Nov. 2016), 519–528. DOI:https://doi.org/10.1016/j.jemermed.2016.05.045.

[16]

Chris Lipp Analgesia in the emergency department: a GRADE-based evaluation of research evidence and recommendations for practice. Critical Care. 17, 2. DOI:https://doi.org/10.1186/cc12521.

[17]

Costantino, G. et al. 2016. Syncope clinical management in the emergency department: a consensus from the first international workshop on syncope risk stratification in the emergency department. European Heart Journal. 37, 19 (May 2016), 1493–1498. DOI:https://doi.org/10.1093/eurheartj/ehv378.

[18]

Cremers, A.J.H. et al. 2014. Effect of antibiotic streamlining on patient outcome in

pneumococcal bacteraemia. Journal of Antimicrobial Chemotherapy. 69, 8 (Aug. 2014), 2258–2264. DOI:https://doi.org/10.1093/jac/dku109.

[19]

Crompton, E.M. et al. 2017. Meta-Analysis of Therapeutic Hypothermia for Traumatic Brain Injury in Adult and Pediatric Patients*. Critical Care Medicine. 45, 4 (Apr. 2017), 575–583. DOI:https://doi.org/10.1097/CCM.00000000002205.

[20]

D'Ascenzo, F. et al. 2013. Incidence, etiology and predictors of adverse outcomes in 43,315 patients presenting to the Emergency Department with syncope: An international meta-analysis. International Journal of Cardiology. 167, 1 (Jul. 2013), 57–62. DOI:https://doi.org/10.1016/j.ijcard.2011.11.083.

[21]

Diabetic Ketoacidosis and Hyperglycaemic Hyperosmolar State - Acute and chronic complications of diabetes - Diapedia, The Living Textbook of Diabetes: https://www.diapedia.org/acute-and-chronic-complications-of-diabetes/71040851425/diabe tic-ketoacidosis-and-hyperglycaemic-hyperosmolar-state.

[22]

Ducros, A. and Bousser, M.-G. 2013. Thunderclap headache. BMJ. 346, jan08 15 (Jan. 2013), e8557–e8557. DOI:https://doi.org/10.1136/bmj.e8557.

[23]

Edlow, J.A. and Caplan, L.R. 2000. Avoiding Pitfalls in the Diagnosis of Subarachnoid Hemorrhage. New England Journal of Medicine. 342, 1 (Jan. 2000), 29–36. DOI:https://doi.org/10.1056/NEJM200001063420106.

[24]

Fernandes, P.M. et al. 2013. Strokes: mimics and chameleons. Practical Neurology. 13, 1 (Feb. 2013), 21–28. DOI:https://doi.org/10.1136/practneurol-2012-000465.

[25]

Fever Control Management Is Preferable to Mild Therapeutic Hypothermia in Traumatic Brain Injury Patients with Abbreviated Injury Scale 3–4: A Multi-Center, Randomized Controlled Trial | Journal of Neurotrauma: https://www.liebertpub.com/doi/abs/10.1089/neu.2015.4033.

[26]

Fever in the returning traveller - Initial assessment and triage: https://www.bmj.com/content/bmj/suppl/2018/01/25/bmj.j5773.DC1/fever_diff_v38_web.pd f.pdf.

[27]

Fink, D. et al. 2018. Fever in the returning traveller. BMJ. (Jan. 2018). DOI:https://doi.org/10.1136/bmj.j5773.

[28]

Fleming, I. and Egeler, C. 2014. Regional anaesthesia for trauma: an update. Continuing Education in Anaesthesia Critical Care & Pain. 14, 3 (Jun. 2014), 136–141. DOI:https://doi.org/10.1093/bjaceaccp/mkt048.

[29]

Franko, J. et al. 2006. Advanced Age and Preinjury Warfarin Anticoagulation Increase the Risk of Mortality After Head Trauma. The Journal of Trauma: Injury, Infection, and Critical Care. 61, 1 (Jul. 2006), 107–110. DOI:https://doi.org/10.1097/01.ta.0000224220.89528.fc.

[30]

Fu, P. et al. 2017. Case Report of Serratus Plane Catheter for Pain Management in a Patient With Multiple Rib Fractures and an Inferior Scapular Fracture. A & A Case Reports. 8, 6 (Mar. 2017), 132–135. DOI:https://doi.org/10.1213/XAA.000000000000431.

[31]

Galvagno, S.M. et al. 2016. Pain management for blunt thoracic trauma. Journal of Trauma

and Acute Care Surgery. 81, 5 (Nov. 2016), 936–951. DOI:https://doi.org/10.1097/TA.000000000001209.

[32]

Goldstein, L.E. and McKee, A.C. 2017. Shining (Laser) Light on Traumatic Brain Injury Blood Biomarkers. JAMA Neurology. 74, 9 (Sep. 2017). DOI:https://doi.org/10.1001/jamaneurol.2017.0800.

[33]

Hankey, G.J. 2002. Stroke: your questions answered. Churchill Livingstone.

[34]

Hasan, T.F. et al. 2018. Diagnosis and Management of Acute Ischemic Stroke. Mayo Clinic Proceedings. 93, 4 (Apr. 2018), 523–538. DOI:https://doi.org/10.1016/j.mayocp.2018.02.013.

[35]

Hawker, J.I. et al. 2014. Trends in antibiotic prescribing in primary care for clinical syndromes subject to national recommendations to reduce antibiotic resistance, UK 1995-2011: analysis of a large database of primary care consultations. Journal of Antimicrobial Chemotherapy. 69, 12 (Dec. 2014), 3423–3430. DOI:https://doi.org/10.1093/jac/dku291.

[36]

HEART Score: http://www.heartscore.nl/.

[37]

HEART Score for Major Cardiac Events - MDCalc: https://www.mdcalc.com/heart-score-major-cardiac-events#next-steps.

[38]

Howard, J.L. et al. 2009. Preinjury Warfarin Worsens Outcome in Elderly Patients Who Fall From Standing. The Journal of Trauma: Injury, Infection, and Critical Care. 66, 6 (Jun. 2009), 1518–1524. DOI:https://doi.org/10.1097/TA.0b013e3181a59728.

[39]

IAP publish information sharing statement «Independent Advisory Panel on Deaths in Custody: https://www.iapondeathsincustody.org/s/IAP-Information-Sharing-Statement.pdf.

[40]

Johnston, V. et al. 2009. Fever in returned travellers presenting in the United Kingdom: Recommendations for investigation and initial management. Journal of Infection. 59, 1 (Jul. 2009), 1–18. DOI:https://doi.org/10.1016/j.jinf.2009.05.005.

[41]

Larsen, F.S. et al. 2016. High-volume plasma exchange in patients with acute liver failure: An open randomised controlled trial. Journal of Hepatology. 64, 1 (Jan. 2016), 69–78. DOI:https://doi.org/10.1016/j.jhep.2015.08.018.

[42]

Lecky, F.E. et al. 2015. The effect of preinjury warfarin use on mortality rates in trauma patients: a European multicentre study. Emergency Medicine Journal. 32, 12 (Dec. 2015), 916–920. DOI:https://doi.org/10.1136/emermed-2014-203959.

[43]

Maas, A.I.R. et al. 2017. Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research. The Lancet Neurology. 16, 12 (Dec. 2017), 987–1048. DOI:https://doi.org/10.1016/S1474-4422(17)30371-X.

[44]

Maisel, A.S. et al. 2002. Rapid Measurement of B-Type Natriuretic Peptide in the Emergency Diagnosis of Heart Failure. New England Journal of Medicine. 347, 3 (Jul. 2002), 161–167. DOI:https://doi.org/10.1056/NEJMoa020233.

[45]

Mason, S. et al. 2017. AHEAD Study: an observational study of the management of anticoagulated patients who suffer head injury. BMJ Open. 7, 1 (Jan. 2017). DOI:https://doi.org/10.1136/bmjopen-2016-014324.

[46]

Mason, S. et al. 2014. THE AHEAD STUDY: MANAGING ANTICOAGULATED PATIENTS WHO SUFFER HEAD INJURY. Emergency Medicine Journal. 31, 9 (Sep. 2014), 775.1-775. DOI:https://doi.org/10.1136/emermed-2014-204221.1.

[47]

Mason, S. et al. 2014. THE AHEAD STUDY: MANAGING ANTICOAGULATED PATIENTS WHO SUFFER HEAD INJURY. Emergency Medicine Journal. 31, 9 (Sep. 2014), 775.1-775. DOI:https://doi.org/10.1136/emermed-2014-204221.1.

[48]

Montague, B.T. et al. 2008. Retrospective Review of the Frequency of ECG Changes in Hyperkalemia. Clinical Journal of the American Society of Nephrology. 3, 2 (Feb. 2008), 324–330. DOI:https://doi.org/10.2215/CJN.04611007.

[49]

Moss, A.J. et al. 2017. The Updated NICE Guidelines: Cardiac CT as the First-Line Test for Coronary Artery Disease. Current Cardiovascular Imaging Reports. 10, 5 (May 2017). DOI:https://doi.org/10.1007/s12410-017-9412-6.

[50]

Moya, A. et al. 2009. Guidelines for the diagnosis and management of syncope (version 2009): The Task Force for the Diagnosis and Management of Syncope of the European Society of Cardiology (ESC). European Heart Journal. 30, 21 (Nov. 2009), 2631–2671. DOI:https://doi.org/10.1093/eurheartj/ehp298.

Muir, K.W. et al. 2017. Endovascular therapy for acute ischaemic stroke: the Pragmatic Ischaemic Stroke Thrombectomy Evaluation (PISTE) randomised, controlled trial. Journal of Neurology, Neurosurgery & Psychiatry. 88, 1 (Jan. 2017), 38–44. DOI:https://doi.org/10.1136/jnnp-2016-314117.

[52]

NaTHNaC | Launchpad to services: https://nathnac.net/.

[53]

National Review of Asthma Deaths | RCP London: https://www.rcplondon.ac.uk/projects/national-review-asthma-deaths.

[54]

NCEPOD - Non-Invasive Ventilation: Inspiring Change (2017): http://www.ncepod.org.uk/2017niv.html.

[55]

Oram, R.A. et al. 2013. Investigating hypokalaemia. BMJ. 347, sep24 1 (Sep. 2013), f5137-f5137. DOI:https://doi.org/10.1136/bmj.f5137.

[56]

Pieracci, F.M. et al. 2007. Degree of Anticoagulation, but Not Warfarin Use Itself, Predicts Adverse Outcomes After Traumatic Brain Injury in Elderly Trauma Patients. The Journal of Trauma: Injury, Infection, and Critical Care. 63, 3 (Sep. 2007), 525–530. DOI:https://doi.org/10.1097/TA.0b013e31812e5216.

[57]

Pocket Guide to COPD Diagnosis, Management, and Prevention - 2017 - Global Initiative for Chronic Obstructive Lung Disease - GOLD: http://goldcopd.org/pocket-guide-copd-diagnosis-management-prevention-2016/. Ponikowski, P. et al. 2016. 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. European Heart Journal. 37, 27 (Jul. 2016), 2129–2200. DOI:https://doi.org/10.1093/eurheartj/ehw128.

[59]

Post Cardiac Arrest Care: https://lifeinthefastlane.com/ccc/post-cardiac-arrest-resuscitation-care/.

[60]

ProMED-mail: https://www.promedmail.org/.

[61]

Published Guidelines | British Infection Association (BIA): https://www.britishinfection.org/guidelines-resources/published-guidelines/.

[62]

Resuscitation to recovery: https://www.resus.org.uk/publications/resuscitation-to-recovery/

[63]

Richman, J.M. et al. 2006. Does Continuous Peripheral Nerve Block Provide Superior Pain Control to Opioids? A Meta-Analysis. Anesthesia & Analgesia. 102, 1 (Jan. 2006), 248–257. DOI:https://doi.org/10.1213/01.ANE.0000181289.09675.7D.

[64]

Roffi, M. et al. 2016. 2015 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. European Heart Journal. 37, 3 (Jan. 2016), 267–315. DOI:https://doi.org/10.1093/eurheartj/ehv320.

[65]

Scottish Intercollegiate Guidelines Network: 148. Acute coronary syndrome. A National Clinical Guideline: https://www.sign.ac.uk/assets/sign148.pdf.

[66]

Slack, A.J. et al. 2014. Ammonia clearance with haemofiltration in adults with liver disease. Liver International. 34, 1 (Jan. 2014), 42–48. DOI:https://doi.org/10.1111/liv.12221.

[67]

SSNAP - Home: https://www.strokeaudit.org/.

[68]

Sun, B.C. et al. 2014. Priorities for Emergency Department Syncope Research. Annals of Emergency Medicine. 64, 6 (Dec. 2014), 649-655.e2. DOI:https://doi.org/10.1016/j.annemergmed.2014.04.014.

[69]

Teasdale, G. et al. 2014. The Glasgow Coma Scale at 40 years: standing the test of time. The Lancet Neurology. 13, 8 (Aug. 2014), 844–854. DOI:https://doi.org/10.1016/S1474-4422(14)70120-6.

[70]

The patient with collapse: in association with the Emergency Medicine Journal: http://learning.bmj.com/learning/search-result.html?moduleId=5004329.

[71]

Trovato, F.M. et al. 2019. Update on the management of acute liver failure. Current Opinion in Critical Care. 25, 2 (Apr. 2019), 157–164. DOI:https://doi.org/10.1097/MCC.00000000000583.

[72]

Viral haemorrhagic fever: ACDP algorithm and guidance on management of patients -

GOV.UK:

https://www.gov.uk/government/publications/viral-haemorrhagic-fever-algorithm-and-guida nce-on-management-of-patients.

[73]

Wakil, A. et al. 2011. Investigating hyponatraemia. BMJ. 342, mar07 2 (Mar. 2011), d1118-d1118. DOI:https://doi.org/10.1136/bmj.d1118.

[74]

Wendon, J. et al. 2017. EASL Clinical Practical Guidelines on the management of acute (fulminant) liver failure. Journal of Hepatology. 66, 5 (May 2017), 1047–1081. DOI:https://doi.org/10.1016/j.jhep.2016.12.003.

[75]

Williams, M.C. et al. 2018. Assessment of patients with stable chest pain. Heart. 104, 8 (Apr. 2018), 691–699. DOI:https://doi.org/10.1136/heartjnl-2017-311212.

[76]

A universal FGM flowchart and reporting tool.

[77]

Chapter 11. Use of hyperosmolar therapy in the management of severe pediatric traumatic brain injury. Pediatric Critical Care Medicine. 4, 3.

[78]

Consent in Adults, Adolescents and Children in Emergency Departments.

[79]

Diabetic foot problems: prevention and management | Guidance and guidelines | NICE.

[80]

ED Patients in Police Custody.

[81]

Efficacy of Postoperative Patient-controlled and Continuous Infusion Epidural Analgesia versus Intravenous Patient-controlled Analgesia with Opioids: A Meta-analysis. Anesthesiology. 103, 5, 1079–1088.

[82]

Guidelines for the Management of Excited Delirium / Acute Behavioural Disturbance (ABD).

[83]

Information sharing to reduce Community Violence.

[84]

Management of Domestic Abuse.

[85]

Management of hyperkalaemia.

[86]

Memorandum of Understanding – The Police Use of Restraint in Mental Health & Learning Disability Settings.

[87]

2007. Saline or Albumin for Fluid Resuscitation in Patients with Traumatic Brain Injury. New England Journal of Medicine. 357, 9 (Aug. 2007), 874–884.

DOI:https://doi.org/10.1056/NEJMoa067514.

[88]

Sensitivity of computed tomography performed within six hours of onset of headache for diagnosis of subarachnoid haemorrhage: prospective cohort study.

[89]

The Management of Diabetic Ketoacidosis in Adults.

[90]

The management of the hyperosmolar hyperglycaemic state (HHS) in adults with diabetes.

[91]

The Mental Capacity Act in Emergency Medicine Practice.

[92]

The Patient Who Absconds.

[93]

WHO | Antimicrobial resistance.