

ICM7077 - Emergency Care

This module is designed to give students the opportunity to review a wide range of acute medical pathophysiology-disease processes that underpin acute illness, and the skills to manage them.

View Online



1

Acute Coronary Syndromes (ACS) in patients presenting without persistent ST-segm.
<https://www.escardio.org/Guidelines/Clinical-Practice-Guidelines/Acute-Coronary-Syndrome-s-ACS-in-patients-presenting-without-persistent-ST-segm>

2

Scottish Intercollegiate Guidelines Network: 148. Acute coronary syndrome. A National Clinical Guideline. <https://www.sign.ac.uk/assets/sign148.pdf>

3

HEART Score. <http://www.heartscore.nl/>

4

Moss AJ, Williams MC, Newby DE, et al. The Updated NICE Guidelines: Cardiac CT as the First-Line Test for Coronary Artery Disease. *Current Cardiovascular Imaging Reports* 2017; **10**. doi:10.1007/s12410-017-9412-6

5

Williams MC, Shambrook J, Nicol ED. Assessment of patients with stable chest pain. *Heart* 2018; **104**:691–9. doi:10.1136/heartjnl-2017-311212

6

HEART Score for Major Cardiac Events - MDCalc.

<https://www.mdcalc.com/heart-score-major-cardiac-events#next-steps>

7

Roffi M, Patrono C, Collet J-P, et al. 2015 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation. *European Heart Journal* 2016;**37**:267–315. doi:10.1093/eurheartj/ehv320

8

Moya A, Sutton R, Ammirati F, et al. Guidelines for the diagnosis and management of syncope (version 2009): The Task Force for the Diagnosis and Management of Syncope of the European Society of Cardiology (ESC). *European Heart Journal* 2009;**30**:2631–71. doi:10.1093/eurheartj/ehp298

9

Costantino G, Sun BC, Barbic F, et al. Syncope clinical management in the emergency department: a consensus from the first international workshop on syncope risk stratification in the emergency department. *European Heart Journal* 2016;**37**:1493–8. doi:10.1093/eurheartj/ehv378

10

Sun BC, Costantino G, Barbic F, et al. Priorities for Emergency Department Syncope Research. *Annals of Emergency Medicine* 2014;**64**:649-655.e2. doi:10.1016/j.annemergmed.2014.04.014

11

D'Ascenzo F, Biondi-Zoccai G, Reed MJ, et al. Incidence, etiology and predictors of adverse outcomes in 43,315 patients presenting to the Emergency Department with syncope: An international meta-analysis. *International Journal of Cardiology* 2013;**167**:57–62. doi:10.1016/j.ijcard.2011.11.083

12

The patient with collapse: in association with the *Emergency Medicine Journal*.
<http://learning.bmj.com/learning/search-result.html?moduleId=5004329>

13

Ponikowski P, Voors AA, Anker SD, et al. 2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure. *European Heart Journal* 2016;**37**:2129–200. doi:10.1093/eurheartj/ehw128

14

Maisel AS, Krishnaswamy P, Nowak RM, et al. Rapid Measurement of B-Type Natriuretic Peptide in the Emergency Diagnosis of Heart Failure. *New England Journal of Medicine* 2002;**347**:161–7. doi:10.1056/NEJMoa020233

15

Resuscitation to recovery. <https://www.resus.org.uk/publications/resuscitation-to-recovery/>

16

Post Cardiac Arrest Care.
<https://lifeinthefastlane.com/ccr/post-cardiac-arrest-resuscitation-care/>

17

The Management of Diabetic Ketoacidosis in Adults.
http://www.diabetologists-abcd.org.uk/JBDS/JBDS_IP_DKA_Adults_Revised.pdf

18

The management of the hyperosmolar hyperglycaemic state (HHS) in adults with diabetes.
http://www.diabetologists-abcd.org.uk/JBDS/JBDS_IP_HHS_Adults.pdf

19

Diabetic Ketoacidosis and Hyperglycaemic Hyperosmolar State - Acute and chronic complications of diabetes - Diapedia, The Living Textbook of Diabetes.
<https://www.diapedia.org/acute-and-chronic-complications-of-diabetes/71040851425/diabetic-ketoacidosis-and-hyperglycaemic-hyperosmolar-state>

20

Diabetic foot problems: prevention and management | Guidance and guidelines | NICE.
<https://www.nice.org.uk/guidance/ng19>

21

Adrogue HJ, Madias NE. The Challenge of Hyponatremia. Journal of the American Society of Nephrology 2012;**23**:1140–8. doi:10.1681/ASN.2012020128

22

Wakil A, Ng JM, Atkin SL. Investigating hyponatraemia. BMJ 2011;**342**:d1118–d1118.
doi:10.1136/bmj.d1118

23

Management of hyperkalaemia. <http://www.rcpe.ac.uk/sites/default/files/Maxwell.pdf>

24

Oram RA, McDonald TJ, Vaidya B. Investigating hypokalaemia. BMJ 2013;**347**:f5137–f5137.
doi:10.1136/bmj.f5137

25

Montague BT, Ouellette JR, Buller GK. Retrospective Review of the Frequency of ECG Changes in Hyperkalemia. Clinical Journal of the American Society of Nephrology 2008;**3**:324–30. doi:10.2215/CJN.04611007

26

National Review of Asthma Deaths | RCP London.
<https://www.rcplondon.ac.uk/projects/national-review-asthma-deaths>

27

NCEPOD - Non-Invasive Ventilation: Inspiring Change (2017).
<http://www.ncepod.org.uk/2017niv.html>

28

BTS/SIGN British guideline on the management of asthma | British Thoracic Society | Better lung health for all.
<https://www.brit-thoracic.org.uk/standards-of-care/guidelines/btssign-british-guideline-on-the-management-of-asthma/>

29

Pocket Guide to COPD Diagnosis, Management, and Prevention - 2017 - Global Initiative for Chronic Obstructive Lung Disease - GOLD.
<http://goldcopd.org/pocket-guide-copd-diagnosis-management-prevention-2016/>

30

SSNAP - Home. <https://www.strokeaudit.org/>

31

Fernandes PM, Whiteley WN, Hart SR, et al. Strokes: mimics and chameleons. Practical Neurology 2013;**13**:21-8. doi:10.1136/practneurol-2012-000465

32

Hankey GJ. Stroke: your questions answered. Edinburgh: : Churchill Livingstone 2002.

33

Maas AIR, Menon DK, Adelson PD, et al. Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research. The Lancet Neurology 2017;**16**:987-1048. doi:10.1016/S1474-4422(17)30371-X

34

Goldstein LE, McKee AC. Shining (Laser) Light on Traumatic Brain Injury Blood Biomarkers.

JAMA Neurology 2017;**74**. doi:10.1001/jamaneurol.2017.0800

35

Saline or Albumin for Fluid Resuscitation in Patients with Traumatic Brain Injury. New England Journal of Medicine 2007;**357**:874–84. doi:10.1056/NEJMoa067514

36

Crompton EM, Lubomirova I, Cotlarciuc I, et al. Meta-Analysis of Therapeutic Hypothermia for Traumatic Brain Injury in Adult and Pediatric Patients*. Critical Care Medicine 2017;**45**:575–83. doi:10.1097/CCM.0000000000002205

37

Andrews PJD, Sinclair HL, Rodriguez A, et al. Hypothermia for Intracranial Hypertension after Traumatic Brain Injury. New England Journal of Medicine 2015;**373**:2403–12. doi:10.1056/NEJMoa1507581

38

Ahmad FU, Starke RM, Komotar RJ, et al. A Randomized Clinical Trial of Hypothermia as a Preferred Second-Line Treatment for Elevated Intracranial Pressure After Traumatic Brain Injury. Neurosurgery 2016;**78**:N10–1. doi:10.1227/NEU.0000000000001171

39

Andrews PJD, Sinclair HL, Rodriguez A, et al. Hypothermia for Intracranial Hypertension after Traumatic Brain Injury. New England Journal of Medicine 2015;**373**:2403–12. doi:10.1056/NEJMoa1507581

40

Carney N, Totten AM, O'Reilly C, et al. Guidelines for the Management of Severe Traumatic Brain Injury, Fourth Edition. Neurosurgery Published Online First: September 2016. doi:10.1227/NEU.0000000000001432

41

Teasdale G, Maas A, Lecky F, et al. The Glasgow Coma Scale at 40 years: standing the test of time. *The Lancet Neurology* 2014;**13**:844–54. doi:10.1016/S1474-4422(14)70120-6

42

Fever Control Management Is Preferable to Mild Therapeutic Hypothermia in Traumatic Brain Injury Patients with Abbreviated Injury Scale 3–4: A Multi-Center, Randomized Controlled Trial | *Journal of Neurotrauma*.
<https://www.liebertpub.com/doi/abs/10.1089/neu.2015.4033>

43

Mason S, Kuczawski M, Teare MD, et al. THE AHEAD STUDY: MANAGING ANTICOAGULATED PATIENTS WHO SUFFER HEAD INJURY. *Emergency Medicine Journal* 2014;**31**:775.1-775. doi:10.1136/emmermed-2014-204221.1

44

Muir KW, Ford GA, Messow C-M, et al. Endovascular therapy for acute ischaemic stroke: the Pragmatic Ischaemic Stroke Thrombectomy Evaluation (PISTE) randomised, controlled trial. *Journal of Neurology, Neurosurgery & Psychiatry* 2017;**88**:38–44. doi:10.1136/jnnp-2016-314117

45

Sensitivity of computed tomography performed within six hours of onset of headache for diagnosis of subarachnoid haemorrhage: prospective cohort study.
<https://www.bmj.com/content/bmj/343/bmj.d4277.full.pdf>

46

Edlow JA, Caplan LR. Avoiding Pitfalls in the Diagnosis of Subarachnoid Hemorrhage. *New England Journal of Medicine* 2000;**342**:29–36. doi:10.1056/NEJM200001063420106

47

Ducros A, Boussier M-G. Thunderclap headache. *BMJ* 2013;**346**:e8557–e8557. doi:10.1136/bmj.e8557

48

Chapter 11. Use of hyperosmolar therapy in the management of severe pediatric traumatic brain injury. *Pediatric Critical Care Medicine*; **4**.
[.http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00130478-200307001-00012&LSLINK=80&D=ovft](http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00130478-200307001-00012&LSLINK=80&D=ovft)

49

Hasan TF, Rabinstein AA, Middlebrooks EH, et al. Diagnosis and Management of Acute Ischemic Stroke. *Mayo Clinic Proceedings* 2018;**93**:523–38.
doi:10.1016/j.mayocp.2018.02.013

50

Pieracci FM, Eachempati SR, Shou J, et al. Degree of Anticoagulation, but Not Warfarin Use Itself, Predicts Adverse Outcomes After Traumatic Brain Injury in Elderly Trauma Patients. *The Journal of Trauma: Injury, Infection, and Critical Care* 2007;**63**:525–30.
doi:10.1097/TA.0b013e31812e5216

51

Lecky FE, Omar M, Bouamra O, et al. The effect of preinjury warfarin use on mortality rates in trauma patients: a European multicentre study. *Emergency Medicine Journal* 2015;**32**:916–20. doi:10.1136/emered-2014-203959

52

Franko J, Kish KJ, O'Connell BG, et al. Advanced Age and Preinjury Warfarin Anticoagulation Increase the Risk of Mortality After Head Trauma. *The Journal of Trauma: Injury, Infection, and Critical Care* 2006;**61**:107–10.
doi:10.1097/01.ta.0000224220.89528.fc

53

Howard JL, Cipolle MD, Horvat SA, et al. Preinjury Warfarin Worsens Outcome in Elderly Patients Who Fall From Standing. *The Journal of Trauma: Injury, Infection, and Critical Care* 2009;**66**:1518–24. doi:10.1097/TA.0b013e3181a59728

54

Chauny J-M, Marquis M, Bernard F, et al. Risk of Delayed Intracranial Hemorrhage in Anticoagulated Patients with Mild Traumatic Brain Injury: Systematic Review and Meta-Analysis. *The Journal of Emergency Medicine* 2016;**51**:519–28. doi:10.1016/j.jemermed.2016.05.045

55

Mason S, Kuczawski M, Teare MD, et al. AHEAD Study: an observational study of the management of anticoagulated patients who suffer head injury. *BMJ Open* 2017;**7**. doi:10.1136/bmjopen-2016-014324

56

Mason S, Kuczawski M, Teare MD, et al. THE AHEAD STUDY: MANAGING ANTICOAGULATED PATIENTS WHO SUFFER HEAD INJURY. *Emergency Medicine Journal* 2014;**31**:775.1-775. doi:10.1136/emered-2014-204221.1

57

Bernal W, Wendon J. Acute Liver Failure. *New England Journal of Medicine* 2013;**369**:2525–34. doi:10.1056/NEJMra1208937

58

Wendon J, Cordoba J, Dhawan A, et al. EASL Clinical Practical Guidelines on the management of acute (fulminant) liver failure. *Journal of Hepatology* 2017;**66**:1047–81. doi:10.1016/j.jhep.2016.12.003

59

Slack AJ, Auzinger G, Willars C, et al. Ammonia clearance with haemofiltration in adults with liver disease. *Liver International* 2014;**34**:42–8. doi:10.1111/liv.12221

60

Larsen FS, Schmidt LE, Bernsmeier C, et al. High-volume plasma exchange in patients with acute liver failure: An open randomised controlled trial. *Journal of Hepatology* 2016;**64**:69–78. doi:10.1016/j.jhep.2015.08.018

61

Trovato FM, Rabinowich L, McPhail MJW. Update on the management of acute liver failure. *Current Opinion in Critical Care* 2019;**25**:157-64. doi:10.1097/MCC.0000000000000583

62

Bernal W, Lee WM, Wendon J, et al. Acute liver failure: A curable disease by 2024? *Journal of Hepatology* 2015;**62**:S112-20. doi:10.1016/j.jhep.2014.12.016

63

Brown SA, Axenfeld E, Stonesifer EG, et al. Current and prospective therapies for acute liver failure. *Disease-a-Month* 2018;**64**:493-522. doi:10.1016/j.disamonth.2018.04.002

64

Fever in the returning traveller - Initial assessment and triage.
https://www.bmj.com/content/bmj/suppl/2018/01/25/bmj.j5773.DC1/fever_diff_v38_web.pdf

65

Fink D, Wani RS, Johnston V. Fever in the returning traveller. *BMJ Published Online First*: 25 January 2018. doi:10.1136/bmj.j5773

66

Johnston V, Stockley JM, Dockrell D, et al. Fever in returned travellers presenting in the United Kingdom: Recommendations for investigation and initial management. *Journal of Infection* 2009;**59**:1-18. doi:10.1016/j.jinf.2009.05.005

67

Hawker JJ, Smith S, Smith GE, et al. Trends in antibiotic prescribing in primary care for clinical syndromes subject to national recommendations to reduce antibiotic resistance, UK 1995-2011: analysis of a large database of primary care consultations. *Journal of Antimicrobial Chemotherapy* 2014;**69**:3423-30. doi:10.1093/jac/dku291

68

Cremers AJH, Sprong T, Schouten JA, et al. Effect of antibiotic streamlining on patient outcome in pneumococcal bacteraemia. *Journal of Antimicrobial Chemotherapy* 2014;**69**:2258–64. doi:10.1093/jac/dku109

69

WHO | Antimicrobial resistance. <http://www.who.int/antimicrobial-resistance/en/>

70

Published Guidelines | British Infection Association (BIA).
<https://www.britishinfection.org/guidelines-resources/published-guidelines/>

71

NaTHNaC | Launchpad to services. <https://nathnac.net/>

72

ProMED-mail. <https://www.promedmail.org/>

73

Viral haemorrhagic fever: ACDP algorithm and guidance on management of patients - GOV.UK.
<https://www.gov.uk/government/publications/viral-haemorrhagic-fever-algorithm-and-guidance-on-management-of-patients>

74

Guidelines for the Management of Excited Delirium / Acute Behavioural Disturbance (ABD).
https://rcem.ac.uk/wp-content/uploads/2022/01/Acute_Behavioural_Disturbance_Final.pdf

75

Consent in Adults, Adolescents and Children in Emergency Departments.

https://rcem.ac.uk/wp-content/uploads/2021/10/Consent_Guidance_Revised_Jan2018.pdf

76

Information sharing to reduce Community Violence.

https://rcem.ac.uk/wp-content/uploads/2021/10/QEC_Guideline_Information_Sharing_to_Reduce_Community_Violence_Sept2017.pdf

77

A universal FGM flowchart and reporting tool.

https://rcem.ac.uk/wp-content/uploads/2021/10/QEC_Guideline_Information_Sharing_to_Reduce_Community_Violence_Sept2017.pdf

78

The Mental Capacity Act in Emergency Medicine Practice.

https://rcem.ac.uk/wp-content/uploads/2021/10/RCEM_Mental_Capacity_Act_in_EM_Practice_Feb2017.pdf

79

The Patient Who Absconds.

https://rcem.ac.uk/wp-content/uploads/2021/10/RCEM_Absconding_Guidance_V2.pdf

80

Management of Domestic Abuse.

https://rcem.ac.uk/wp-content/uploads/2021/10/Management_of_Domestic_Abuse_March2015.pdf

81

ED Patients in Police Custody.

https://rcem.ac.uk/wp-content/uploads/2021/10/ED_Patients_in_Police_Custody_revised_June2016.pdf

82

IAP publish information sharing statement « Independent Advisory Panel on Deaths in Custody. <https://www.iapondeathsincustody.org/s/IAP-Information-Sharing-Statement.pdf>

83

Memorandum of Understanding – The Police Use of Restraint in Mental Health & Learning Disability Settings.
https://rcem.ac.uk/wp-content/uploads/2021/11/Police_Use_of_Restraint_in_Mental_Health_and_LD_Settings.pdf

84

Chris Lipp. Analgesia in the emergency department: a GRADE-based evaluation of research evidence and recommendations for practice. *Critical Care*; **17**. doi:10.1186/cc12521

85

Beard DJ, Wood P. Pain in complex trauma: lessons from Afghanistan. *BJA Education* 2015; **15**:207–12. doi:10.1093/bjaceaccp/mku035

86

Fleming I, Egeler C. Regional anaesthesia for trauma: an update. *Continuing Education in Anaesthesia Critical Care & Pain* 2014; **14**:136–41. doi:10.1093/bjaceaccp/mkt048

87

Efficacy of Postoperative Patient-controlled and Continuous Infusion Epidural Analgesia versus Intravenous Patient-controlled Analgesia with Opioids: A Meta-analysis. *Anesthesiology*; **103**:1079–88. <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00000542-200511000-00023&LSLINK=80&D=ovft>

88

Richman JM, Liu SS, Courpas G, et al. Does Continuous Peripheral Nerve Block Provide Superior Pain Control to Opioids? A Meta-Analysis. *Anesthesia & Analgesia* 2006; **102**

:248-57. doi:10.1213/01.ANE.0000181289.09675.7D

89

Ayling OGS, Montbriand J, Jiang J, et al. Continuous Regional Anaesthesia Provides Effective Pain Management and Reduces Opioid Requirement Following Major Lower Limb Amputation. *European Journal of Vascular and Endovascular Surgery* 2014;**48**:559-64. doi:10.1016/j.ejvs.2014.07.002

90

Galvagno SM, Smith CE, Varon AJ, et al. Pain management for blunt thoracic trauma. *Journal of Trauma and Acute Care Surgery* 2016;**81**:936-51. doi:10.1097/TA.0000000000001209

91

Fu P, Weyker PD, Webb CAJ. Case Report of Serratus Plane Catheter for Pain Management in a Patient With Multiple Rib Fractures and an Inferior Scapular Fracture. *A & A Case Reports* 2017;**8**:132-5. doi:10.1213/XAA.0000000000000431

92

Carrie C, Stecken L, Cayrol E, et al. Bundle of care for blunt chest trauma patients improves analgesia but increases rates of intensive care unit admission: A retrospective case-control study. *Anaesthesia Critical Care & Pain Medicine* 2018;**37**:211-5. doi:10.1016/j.accpm.2017.05.008

93

Blaivas M, Adhikari S, Lander L. A Prospective Comparison of Procedural Sedation and Ultrasound-guided Interscalene Nerve Block for Shoulder Reduction in the Emergency Department. *Academic Emergency Medicine* 2011;**18**:922-7. doi:10.1111/j.1553-2712.2011.01140.x