

## ICM7077 - Emergency Care

This module is designed to give students the opportunity to review a wide range of acute medical pathophysiology-disease processes that underpin acute illness, and the skills to manage them.

View Online



---

'A universal FGM flowchart and reporting tool' (no date). Available at: [https://rcem.ac.uk/wp-content/uploads/2021/10/QEC\\_Guideline\\_Information\\_Sharing\\_to\\_Reduce\\_Community\\_Violence\\_Sept2017.pdf](https://rcem.ac.uk/wp-content/uploads/2021/10/QEC_Guideline_Information_Sharing_to_Reduce_Community_Violence_Sept2017.pdf).

Acute Coronary Syndromes (ACS) in patients presenting without persistent ST-segm (no date). Available at: <https://www.escardio.org/Guidelines/Clinical-Practice-Guidelines/Acute-Coronary-Syndrome-s-ACS-in-patients-presenting-without-persistent-ST-segm>.

Adroque, H.J. and Madias, N.E. (2012) 'The Challenge of Hyponatremia', *Journal of the American Society of Nephrology*, 23(7), pp. 1140–1148. Available at: <https://doi.org/10.1681/ASN.2012020128>.

Ahmad, F.U. et al. (2016) 'A Randomized Clinical Trial of Hypothermia as a Preferred Second-Line Treatment for Elevated Intracranial Pressure After Traumatic Brain Injury', *Neurosurgery*, 78(2), pp. N10–N11. Available at: <https://doi.org/10.1227/NEU.0000000000001171>.

Andrews, P.J.D. et al. (2015a) 'Hypothermia for Intracranial Hypertension after Traumatic Brain Injury', *New England Journal of Medicine*, 373(25), pp. 2403–2412. Available at: <https://doi.org/10.1056/NEJMoa1507581>.

Andrews, P.J.D. et al. (2015b) 'Hypothermia for Intracranial Hypertension after Traumatic Brain Injury', *New England Journal of Medicine*, 373(25), pp. 2403–2412. Available at: <https://doi.org/10.1056/NEJMoa1507581>.

Ayling, O.G.S. et al. (2014) 'Continuous Regional Anaesthesia Provides Effective Pain Management and Reduces Opioid Requirement Following Major Lower Limb Amputation', *European Journal of Vascular and Endovascular Surgery*, 48(5), pp. 559–564. Available at: <https://doi.org/10.1016/j.ejvs.2014.07.002>.

Beard, D.J. and Wood, P. (2015) 'Pain in complex trauma: lessons from Afghanistan', *BJA Education*, 15(4), pp. 207–212. Available at: <https://doi.org/10.1093/bjaceaccp/mku035>.

Bernal, W. et al. (2015) 'Acute liver failure: A curable disease by 2024?', *Journal of Hepatology*, 62(1), pp. S112–S120. Available at: <https://doi.org/10.1016/j.jhep.2014.12.016>.

Bernal, W. and Wendon, J. (2013) 'Acute Liver Failure', *New England Journal of Medicine*, 369(26), pp. 2525–2534. Available at: <https://doi.org/10.1056/NEJMra1208937>.

Blaivas, M., Adhikari, S. and Lander, L. (2011) 'A Prospective Comparison of Procedural Sedation and Ultrasound-guided Interscalene Nerve Block for Shoulder Reduction in the Emergency Department', *Academic Emergency Medicine*, 18(9), pp. 922–927. Available at: <https://doi.org/10.1111/j.1553-2712.2011.01140.x>.

Brown, S.A. et al. (2018) 'Current and prospective therapies for acute liver failure', *Disease-a-Month*, 64(12), pp. 493–522. Available at: <https://doi.org/10.1016/j.disamonth.2018.04.002>.

BTS/SIGN British guideline on the management of asthma | British Thoracic Society | Better lung health for all (no date). Available at: <https://www.brit-thoracic.org.uk/standards-of-care/guidelines/btssign-british-guideline-on-the-management-of-asthma/>.

Carney, N. et al. (2016) 'Guidelines for the Management of Severe Traumatic Brain Injury, Fourth Edition', *Neurosurgery* [Preprint]. Available at: <https://doi.org/10.1227/NEU.0000000000001432>.

Carrie, C. et al. (2018) 'Bundle of care for blunt chest trauma patients improves analgesia but increases rates of intensive care unit admission: A retrospective case-control study', *Anaesthesia Critical Care & Pain Medicine*, 37(3), pp. 211–215. Available at: <https://doi.org/10.1016/j.accpm.2017.05.008>.

'Chapter 11. Use of hyperosmolar therapy in the management of severe pediatric traumatic brain injury' (no date) *Pediatric Critical Care Medicine*, 4(3). Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00130478-200307001-00012&LSLINK=80&D=ovft>.

Chauny, J.-M. et al. (2016) 'Risk of Delayed Intracranial Hemorrhage in Anticoagulated Patients with Mild Traumatic Brain Injury: Systematic Review and Meta-Analysis', *The Journal of Emergency Medicine*, 51(5), pp. 519–528. Available at: <https://doi.org/10.1016/j.jemermed.2016.05.045>.

Chris Lipp (no date) 'Analgesia in the emergency department: a GRADE-based evaluation of research evidence and recommendations for practice', *Critical Care*, 17(2). Available at: <https://doi.org/10.1186/cc12521>.

'Consent in Adults, Adolescents and Children in Emergency Departments' (no date).

Available at:

[https://rcem.ac.uk/wp-content/uploads/2021/10/Consent\\_Guidance\\_Revised\\_Jan2018.pdf](https://rcem.ac.uk/wp-content/uploads/2021/10/Consent_Guidance_Revised_Jan2018.pdf).

Costantino, G. et al. (2016) 'Syncope clinical management in the emergency department: a consensus from the first international workshop on syncope risk stratification in the emergency department', *European Heart Journal*, 37(19), pp. 1493–1498. Available at: <https://doi.org/10.1093/eurheartj/ehv378>.

Cremers, A.J.H. et al. (2014) 'Effect of antibiotic streamlining on patient outcome in pneumococcal bacteraemia', *Journal of Antimicrobial Chemotherapy*, 69(8), pp. 2258–2264. Available at: <https://doi.org/10.1093/jac/dku109>.

Crompton, E.M. et al. (2017) 'Meta-Analysis of Therapeutic Hypothermia for Traumatic Brain Injury in Adult and Pediatric Patients\*', *Critical Care Medicine*, 45(4), pp. 575–583. Available at: <https://doi.org/10.1097/CCM.0000000000002205>.

D'Ascenzo, F. et al. (2013) 'Incidence, etiology and predictors of adverse outcomes in 43,315 patients presenting to the Emergency Department with syncope: An international meta-analysis', *International Journal of Cardiology*, 167(1), pp. 57–62. Available at: <https://doi.org/10.1016/j.ijcard.2011.11.083>.

'Diabetic foot problems: prevention and management | Guidance and guidelines | NICE' (no date). Available at: <https://www.nice.org.uk/guidance/ng19>.

Diabetic Ketoacidosis and Hyperglycaemic Hyperosmolar State - Acute and chronic complications of diabetes - Diapedia, *The Living Textbook of Diabetes* (no date). Available at: <https://www.diapedia.org/acute-and-chronic-complications-of-diabetes/71040851425/diabetic-ketoacidosis-and-hyperglycaemic-hyperosmolar-state>.

Ducros, A. and Bousser, M.-G. (2013) 'Thunderclap headache', *BMJ*, 346(jan08 15), pp. e8557–e8557. Available at: <https://doi.org/10.1136/bmj.e8557>.

'ED Patients in Police Custody' (no date). Available at: [https://rcem.ac.uk/wp-content/uploads/2021/10/ED\\_Patients\\_in\\_Police\\_Custody\\_revised\\_June2016.pdf](https://rcem.ac.uk/wp-content/uploads/2021/10/ED_Patients_in_Police_Custody_revised_June2016.pdf).

Edlow, J.A. and Caplan, L.R. (2000) 'Avoiding Pitfalls in the Diagnosis of Subarachnoid Hemorrhage', *New England Journal of Medicine*, 342(1), pp. 29–36. Available at: <https://doi.org/10.1056/NEJM200001063420106>.

'Efficacy of Postoperative Patient-controlled and Continuous Infusion Epidural Analgesia versus Intravenous Patient-controlled Analgesia with Opioids: A Meta-analysis' (no date) *Anesthesiology*, 103(5), pp. 1079–1088. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00000542-200511000-00023&LSLINK=80&D=ovft>.

Fernandes, P.M. et al. (2013) 'Strokes: mimics and chameleons', *Practical Neurology*, 13(1), pp. 21–28. Available at: <https://doi.org/10.1136/practneurol-2012-000465>.

Fever Control Management Is Preferable to Mild Therapeutic Hypothermia in Traumatic Brain Injury Patients with Abbreviated Injury Scale 3–4: A Multi-Center, Randomized Controlled Trial | *Journal of Neurotrauma* (no date). Available at: <https://www.liebertpub.com/doi/abs/10.1089/neu.2015.4033>.

Fever in the returning traveller - Initial assessment and triage (no date). Available at: [https://www.bmj.com/content/bmj/suppl/2018/01/25/bmj.j5773.DC1/fever\\_diff\\_v38\\_web.pdf](https://www.bmj.com/content/bmj/suppl/2018/01/25/bmj.j5773.DC1/fever_diff_v38_web.pdf).

Fink, D., Wani, R.S. and Johnston, V. (2018) 'Fever in the returning traveller', *BMJ* [Preprint]. Available at: <https://doi.org/10.1136/bmj.j5773>.

Fleming, I. and Egeler, C. (2014) 'Regional anaesthesia for trauma: an update', *Continuing Education in Anaesthesia Critical Care & Pain*, 14(3), pp. 136–141. Available at: <https://doi.org/10.1093/bjaceaccp/mkt048>.

Franko, J. et al. (2006) 'Advanced Age and Preinjury Warfarin Anticoagulation Increase the Risk of Mortality After Head Trauma', *The Journal of Trauma: Injury, Infection, and Critical*

Care, 61(1), pp. 107–110. Available at:  
<https://doi.org/10.1097/01.ta.0000224220.89528.fc>.

Fu, P., Weyker, P.D. and Webb, C.A.J. (2017) 'Case Report of Serratus Plane Catheter for Pain Management in a Patient With Multiple Rib Fractures and an Inferior Scapular Fracture', *A & A Case Reports*, 8(6), pp. 132–135. Available at:  
<https://doi.org/10.1213/XAA.0000000000000431>.

Galvagno, S.M. et al. (2016) 'Pain management for blunt thoracic trauma', *Journal of Trauma and Acute Care Surgery*, 81(5), pp. 936–951. Available at:  
<https://doi.org/10.1097/TA.0000000000001209>.

Goldstein, L.E. and McKee, A.C. (2017) 'Shining (Laser) Light on Traumatic Brain Injury Blood Biomarkers', *JAMA Neurology*, 74(9). Available at:  
<https://doi.org/10.1001/jamaneurol.2017.0800>.

'Guidelines for the Management of Excited Delirium / Acute Behavioural Disturbance (ABD)' (no date). Available at:  
[https://rcem.ac.uk/wp-content/uploads/2022/01/Acute\\_Behavioural\\_Disturbance\\_Final.pdf](https://rcem.ac.uk/wp-content/uploads/2022/01/Acute_Behavioural_Disturbance_Final.pdf).

Hankey, G.J. (2002) *Stroke: your questions answered*. Edinburgh: Churchill Livingstone.

Hasan, T.F. et al. (2018) 'Diagnosis and Management of Acute Ischemic Stroke', *Mayo Clinic Proceedings*, 93(4), pp. 523–538. Available at:  
<https://doi.org/10.1016/j.mayocp.2018.02.013>.

Hawker, J.I. et al. (2014) 'Trends in antibiotic prescribing in primary care for clinical syndromes subject to national recommendations to reduce antibiotic resistance, UK 1995-2011: analysis of a large database of primary care consultations', *Journal of Antimicrobial Chemotherapy*, 69(12), pp. 3423–3430. Available at:  
<https://doi.org/10.1093/jac/dku291>.

HEART Score (no date). Available at: <http://www.heartscore.nl/>.

HEART Score for Major Cardiac Events - MDCalc (no date). Available at:  
<https://www.mdcalc.com/heart-score-major-cardiac-events#next-steps>.

Howard, J.L. et al. (2009) 'Preinjury Warfarin Worsens Outcome in Elderly Patients Who Fall From Standing', *The Journal of Trauma: Injury, Infection, and Critical Care*, 66(6), pp. 1518–1524. Available at: <https://doi.org/10.1097/TA.0b013e3181a59728>.

IAP publish information sharing statement « Independent Advisory Panel on Deaths in Custody (no date). Available at:  
<https://www.iapondeathsincustody.org/s/IAP-Information-Sharing-Statement.pdf>.

'Information sharing to reduce Community Violence' (no date). Available at:  
[https://rcem.ac.uk/wp-content/uploads/2021/10/QEC\\_Guideline\\_Information\\_Sharing\\_to\\_Reduce\\_Community\\_Violence\\_Sept2017.pdf](https://rcem.ac.uk/wp-content/uploads/2021/10/QEC_Guideline_Information_Sharing_to_Reduce_Community_Violence_Sept2017.pdf).

Johnston, V. et al. (2009) 'Fever in returned travellers presenting in the United Kingdom: Recommendations for investigation and initial management', *Journal of Infection*, 59(1),

pp. 1–18. Available at: <https://doi.org/10.1016/j.jinf.2009.05.005>.

Larsen, F.S. et al. (2016) 'High-volume plasma exchange in patients with acute liver failure: An open randomised controlled trial', *Journal of Hepatology*, 64(1), pp. 69–78. Available at: <https://doi.org/10.1016/j.jhep.2015.08.018>.

Lecky, F.E. et al. (2015) 'The effect of preinjury warfarin use on mortality rates in trauma patients: a European multicentre study', *Emergency Medicine Journal*, 32(12), pp. 916–920. Available at: <https://doi.org/10.1136/emmermed-2014-203959>.

Maas, A.I.R. et al. (2017) 'Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research', *The Lancet Neurology*, 16(12), pp. 987–1048. Available at: [https://doi.org/10.1016/S1474-4422\(17\)30371-X](https://doi.org/10.1016/S1474-4422(17)30371-X).

Maisel, A.S. et al. (2002) 'Rapid Measurement of B-Type Natriuretic Peptide in the Emergency Diagnosis of Heart Failure', *New England Journal of Medicine*, 347(3), pp. 161–167. Available at: <https://doi.org/10.1056/NEJMoa020233>.

'Management of Domestic Abuse' (no date). Available at: [https://rcem.ac.uk/wp-content/uploads/2021/10/Management\\_of\\_Domestic\\_Abuse\\_March2015.pdf](https://rcem.ac.uk/wp-content/uploads/2021/10/Management_of_Domestic_Abuse_March2015.pdf).

'Management of hyperkalaemia' (no date). Available at: <http://www.rcpe.ac.uk/sites/default/files/Maxwell.pdf>.

Mason, S. et al. (2014a) 'THE AHEAD STUDY: MANAGING ANTICOAGULATED PATIENTS WHO SUFFER HEAD INJURY', *Emergency Medicine Journal*, 31(9), p. 775.1-775. Available at: <https://doi.org/10.1136/emmermed-2014-204221.1>.

Mason, S. et al. (2014b) 'THE AHEAD STUDY: MANAGING ANTICOAGULATED PATIENTS WHO SUFFER HEAD INJURY', *Emergency Medicine Journal*, 31(9), p. 775.1-775. Available at: <https://doi.org/10.1136/emmermed-2014-204221.1>.

Mason, S. et al. (2017) 'AHEAD Study: an observational study of the management of anticoagulated patients who suffer head injury', *BMJ Open*, 7(1). Available at: <https://doi.org/10.1136/bmjopen-2016-014324>.

'Memorandum of Understanding – The Police Use of Restraint in Mental Health & Learning Disability Settings' (no date). Available at: [https://rcem.ac.uk/wp-content/uploads/2021/11/Police\\_Use\\_of\\_Restraint\\_in\\_Mental\\_Health\\_and\\_LD\\_Settings.pdf](https://rcem.ac.uk/wp-content/uploads/2021/11/Police_Use_of_Restraint_in_Mental_Health_and_LD_Settings.pdf).

Montague, B.T., Ouellette, J.R. and Buller, G.K. (2008) 'Retrospective Review of the Frequency of ECG Changes in Hyperkalemia', *Clinical Journal of the American Society of Nephrology*, 3(2), pp. 324–330. Available at: <https://doi.org/10.2215/CJN.04611007>.

Moss, A.J. et al. (2017) 'The Updated NICE Guidelines: Cardiac CT as the First-Line Test for Coronary Artery Disease', *Current Cardiovascular Imaging Reports*, 10(5). Available at: <https://doi.org/10.1007/s12410-017-9412-6>.

Moya, A. et al. (2009) 'Guidelines for the diagnosis and management of syncope (version 2009): The Task Force for the Diagnosis and Management of Syncope of the European

Society of Cardiology (ESC)', *European Heart Journal*, 30(21), pp. 2631–2671. Available at: <https://doi.org/10.1093/eurheartj/ehp298>.

Muir, K.W. et al. (2017) 'Endovascular therapy for acute ischaemic stroke: the Pragmatic Ischaemic Stroke Thrombectomy Evaluation (PISTE) randomised, controlled trial', *Journal of Neurology, Neurosurgery & Psychiatry*, 88(1), pp. 38–44. Available at: <https://doi.org/10.1136/jnnp-2016-314117>.

NaTHNaC | Launchpad to services (no date). Available at: <https://nathnac.net/>.

National Review of Asthma Deaths | RCP London (no date). Available at: <https://www.rcplondon.ac.uk/projects/national-review-asthma-deaths>.

NCEPOD - Non-Invasive Ventilation: Inspiring Change (2017) (no date). Available at: <http://www.ncepod.org.uk/2017niv.html>.

Oram, R.A., McDonald, T.J. and Vaidya, B. (2013) 'Investigating hypokalaemia', *BMJ*, 347(sep24 1), pp. f5137–f5137. Available at: <https://doi.org/10.1136/bmj.f5137>.

Pieracci, F.M. et al. (2007) 'Degree of Anticoagulation, but Not Warfarin Use Itself, Predicts Adverse Outcomes After Traumatic Brain Injury in Elderly Trauma Patients', *The Journal of Trauma: Injury, Infection, and Critical Care*, 63(3), pp. 525–530. Available at: <https://doi.org/10.1097/TA.0b013e31812e5216>.

Pocket Guide to COPD Diagnosis, Management, and Prevention - 2017 - Global Initiative for Chronic Obstructive Lung Disease - GOLD (no date). Available at: <http://goldcopd.org/pocket-guide-copd-diagnosis-management-prevention-2016/>.

Ponikowski, P. et al. (2016) '2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure', *European Heart Journal*, 37(27), pp. 2129–2200. Available at: <https://doi.org/10.1093/eurheartj/ehw128>.

Post Cardiac Arrest Care (no date). Available at: <https://lifeinthefastlane.com/ccr/post-cardiac-arrest-resuscitation-care/>.

ProMED-mail (no date). Available at: <https://www.promedmail.org/>.

Published Guidelines | British Infection Association (BIA) (no date). Available at: <https://www.britishinfection.org/guidelines-resources/published-guidelines/>.

Resuscitation to recovery (no date). Available at: <https://www.resus.org.uk/publications/resuscitation-to-recovery/>.

Richman, J.M. et al. (2006) 'Does Continuous Peripheral Nerve Block Provide Superior Pain Control to Opioids? A Meta-Analysis', *Anesthesia & Analgesia*, 102(1), pp. 248–257. Available at: <https://doi.org/10.1213/01.ANE.0000181289.09675.7D>.

Roffi, M. et al. (2016) '2015 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation', *European Heart Journal*, 37(3), pp. 267–315. Available at: <https://doi.org/10.1093/eurheartj/ehv320>.  
'Saline or Albumin for Fluid Resuscitation in Patients with Traumatic Brain Injury' (2007) *New England Journal of Medicine*, 357(9), pp. 874–884. Available at:

<https://doi.org/10.1056/NEJMoa067514>.

Scottish Intercollegiate Guidelines Network: 148. Acute coronary syndrome. A National Clinical Guideline (no date). Available at: <https://www.sign.ac.uk/assets/sign148.pdf>.

'Sensitivity of computed tomography performed within six hours of onset of headache for diagnosis of subarachnoid haemorrhage: prospective cohort study' (no date). Available at: <https://www.bmj.com/content/bmj/343/bmj.d4277.full.pdf>.

Slack, A.J. et al. (2014) 'Ammonia clearance with haemofiltration in adults with liver disease', *Liver International*, 34(1), pp. 42–48. Available at: <https://doi.org/10.1111/liv.12221>.

SSNAP - Home (no date). Available at: <https://www.strokeaudit.org/>.

Sun, B.C. et al. (2014) 'Priorities for Emergency Department Syncope Research', *Annals of Emergency Medicine*, 64(6), pp. 649-655.e2. Available at: <https://doi.org/10.1016/j.annemergmed.2014.04.014>.

Teasdale, G. et al. (2014) 'The Glasgow Coma Scale at 40 years: standing the test of time', *The Lancet Neurology*, 13(8), pp. 844–854. Available at: [https://doi.org/10.1016/S1474-4422\(14\)70120-6](https://doi.org/10.1016/S1474-4422(14)70120-6).

'The Management of Diabetic Ketoacidosis in Adults' (no date). Available at: [http://www.diabetologists-abcd.org.uk/JBDS/JBDS\\_IP\\_DKA\\_Adults\\_Revised.pdf](http://www.diabetologists-abcd.org.uk/JBDS/JBDS_IP_DKA_Adults_Revised.pdf).

'The management of the hyperosmolar hyperglycaemic state (HHS) in adults with diabetes' (no date). Available at: [http://www.diabetologists-abcd.org.uk/JBDS/JBDS\\_IP\\_HHS\\_Adults.pdf](http://www.diabetologists-abcd.org.uk/JBDS/JBDS_IP_HHS_Adults.pdf).

'The Mental Capacity Act in Emergency Medicine Practice' (no date). Available at: [https://rcem.ac.uk/wp-content/uploads/2021/10/RCEM\\_Mental\\_Capacity\\_Act\\_in\\_EM\\_Practice\\_Feb2017.pdf](https://rcem.ac.uk/wp-content/uploads/2021/10/RCEM_Mental_Capacity_Act_in_EM_Practice_Feb2017.pdf).

'The Patient Who Absconds' (no date). Available at: [https://rcem.ac.uk/wp-content/uploads/2021/10/RCEM\\_Absconding\\_Guidance\\_V2.pdf](https://rcem.ac.uk/wp-content/uploads/2021/10/RCEM_Absconding_Guidance_V2.pdf).

The patient with collapse: in association with the *Emergency Medicine Journal* (no date). Available at: <http://learning.bmj.com/learning/search-result.html?moduleId=5004329>.

Trovato, F.M., Rabinowich, L. and McPhail, M.J.W. (2019) 'Update on the management of acute liver failure', *Current Opinion in Critical Care*, 25(2), pp. 157–164. Available at: <https://doi.org/10.1097/MCC.0000000000000583>.

Viral haemorrhagic fever: ACDP algorithm and guidance on management of patients - GOV.UK (no date). Available at: <https://www.gov.uk/government/publications/viral-haemorrhagic-fever-algorithm-and-guidance-on-management-of-patients>.

Wakil, A., Ng, J.M. and Atkin, S.L. (2011) 'Investigating hyponatraemia', *BMJ*, 342(mar07 2), pp. d1118–d1118. Available at: <https://doi.org/10.1136/bmj.d1118>.

Wendon, J. et al. (2017) 'EASL Clinical Practical Guidelines on the management of acute (fulminant) liver failure', *Journal of Hepatology*, 66(5), pp. 1047–1081. Available at: <https://doi.org/10.1016/j.jhep.2016.12.003>.

'WHO | Antimicrobial resistance' (no date). Available at: <http://www.who.int/antimicrobial-resistance/en/>.

Williams, M.C., Shambrook, J. and Nicol, E.D. (2018) 'Assessment of patients with stable chest pain', *Heart*, 104(8), pp. 691–699. Available at: <https://doi.org/10.1136/heartjnl-2017-311212>.