

ICM7077 - Emergency Care

This module is designed to give students the opportunity to review a wide range of acute medical pathophysiology-disease processes that underpin acute illness, and the skills to manage them.

View Online



[1]

'Acute Coronary Syndromes (ACS) in patients presenting without persistent ST-segm'. [Online]. Available: <https://www.escardio.org/Guidelines/Clinical-Practice-Guidelines/Acute-Coronary-Syndrome-s-ACS-in-patients-presenting-without-persistent-ST-segm>

[2]

'Scottish Intercollegiate Guidelines Network: 148. Acute coronary syndrome. A National Clinical Guideline'. [Online]. Available: <https://www.sign.ac.uk/assets/sign148.pdf>

[3]

'HEART Score'. [Online]. Available: <http://www.heartscore.nl/>

[4]

A. J. Moss, M. C. Williams, D. E. Newby, and E. D. Nicol, 'The Updated NICE Guidelines: Cardiac CT as the First-Line Test for Coronary Artery Disease', *Current Cardiovascular Imaging Reports*, vol. 10, no. 5, May 2017, doi: 10.1007/s12410-017-9412-6.

[5]

M. C. Williams, J. Shambrook, and E. D. Nicol, 'Assessment of patients with stable chest pain', *Heart*, vol. 104, no. 8, pp. 691-699, Apr. 2018, doi: 10.1136/heartjnl-2017-311212.

[6]

'HEART Score for Major Cardiac Events - MDCalc'. [Online]. Available: <https://www.mdcalc.com/heart-score-major-cardiac-events#next-steps>

[7]

M. Roffi et al., '2015 ESC Guidelines for the management of acute coronary syndromes in patients presenting without persistent ST-segment elevation', *European Heart Journal*, vol. 37, no. 3, pp. 267–315, Jan. 2016, doi: 10.1093/eurheartj/ehv320.

[8]

A. Moya et al., 'Guidelines for the diagnosis and management of syncope (version 2009): The Task Force for the Diagnosis and Management of Syncope of the European Society of Cardiology (ESC)', *European Heart Journal*, vol. 30, no. 21, pp. 2631–2671, Nov. 2009, doi: 10.1093/eurheartj/ehp298.

[9]

G. Costantino et al., 'Syncope clinical management in the emergency department: a consensus from the first international workshop on syncope risk stratification in the emergency department', *European Heart Journal*, vol. 37, no. 19, pp. 1493–1498, May 2016, doi: 10.1093/eurheartj/ehv378.

[10]

B. C. Sun et al., 'Priorities for Emergency Department Syncope Research', *Annals of Emergency Medicine*, vol. 64, no. 6, pp. 649-655.e2, Dec. 2014, doi: 10.1016/j.annemergmed.2014.04.014.

[11]

F. D'Ascenzo et al., 'Incidence, etiology and predictors of adverse outcomes in 43,315 patients presenting to the Emergency Department with syncope: An international meta-analysis', *International Journal of Cardiology*, vol. 167, no. 1, pp. 57–62, Jul. 2013, doi: 10.1016/j.ijcard.2011.11.083.

[12]

'The patient with collapse: in association with the Emergency Medicine Journal'. [Online]. Available: <http://learning.bmj.com/learning/search-result.html?moduleId=5004329>

[13]

P. Ponikowski et al., '2016 ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure', *European Heart Journal*, vol. 37, no. 27, pp. 2129–2200, Jul. 2016, doi: 10.1093/eurheartj/ehw128.

[14]

A. S. Maisel et al., 'Rapid Measurement of B-Type Natriuretic Peptide in the Emergency Diagnosis of Heart Failure', *New England Journal of Medicine*, vol. 347, no. 3, pp. 161–167, Jul. 2002, doi: 10.1056/NEJMoa020233.

[15]

'Resuscitation to recovery'. [Online]. Available: <https://www.resus.org.uk/publications/resuscitation-to-recovery/>

[16]

'Post Cardiac Arrest Care'. [Online]. Available: <https://lifeinthefastlane.com/ccr/post-cardiac-arrest-resuscitation-care/>

[17]

'The Management of Diabetic Ketoacidosis in Adults'. [Online]. Available: http://www.diabetologists-abcd.org.uk/JBDS/JBDS_IP_DKA_Adults_Revised.pdf

[18]

'The management of the hyperosmolar hyperglycaemic state (HHS) in adults with diabetes'. [Online]. Available: http://www.diabetologists-abcd.org.uk/JBDS/JBDS_IP_HHS_Adults.pdf

[19]

'Diabetic Ketoacidosis and Hyperglycaemic Hyperosmolar State - Acute and chronic complications of diabetes - Diapedia, The Living Textbook of Diabetes'. [Online]. Available: <https://www.diapedia.org/acute-and-chronic-complications-of-diabetes/71040851425/diabetic-ketoacidosis-and-hyperglycaemic-hyperosmolar-state>

[20]

'Diabetic foot problems: prevention and management | Guidance and guidelines | NICE' [Online]. Available: <https://www.nice.org.uk/guidance/ng19>

[21]

H. J. Adroque and N. E. Madias, 'The Challenge of Hyponatremia', *Journal of the American Society of Nephrology*, vol. 23, no. 7, pp. 1140–1148, Jul. 2012, doi: 10.1681/ASN.2012020128.

[22]

A. Wakil, J. M. Ng, and S. L. Atkin, 'Investigating hyponatraemia', *BMJ*, vol. 342, no. mar07 2, pp. d1118–d1118, Mar. 2011, doi: 10.1136/bmj.d1118.

[23]

'Management of hyperkalaemia'. [Online]. Available: <http://www.rcpe.ac.uk/sites/default/files/Maxwell.pdf>

[24]

R. A. Oram, T. J. McDonald, and B. Vaidya, 'Investigating hypokalaemia', *BMJ*, vol. 347, no. sep24 1, pp. f5137–f5137, Sep. 2013, doi: 10.1136/bmj.f5137.

[25]

B. T. Montague, J. R. Ouellette, and G. K. Buller, 'Retrospective Review of the Frequency of ECG Changes in Hyperkalemia', *Clinical Journal of the American Society of Nephrology*, vol. 3, no. 2, pp. 324–330, Feb. 2008, doi: 10.2215/CJN.04611007.

[26]

'National Review of Asthma Deaths | RCP London'. [Online]. Available: <https://www.rcplondon.ac.uk/projects/national-review-asthma-deaths>

[27]

'NCEPOD - Non-Invasive Ventilation: Inspiring Change (2017)'. [Online]. Available: <http://www.ncepod.org.uk/2017niv.html>

[28]

'BTS/SIGN British guideline on the management of asthma | British Thoracic Society | Better lung health for all'. [Online]. Available: <https://www.brit-thoracic.org.uk/standards-of-care/guidelines/btssign-british-guideline-on-the-management-of-asthma/>

[29]

'Pocket Guide to COPD Diagnosis, Management, and Prevention - 2017 - Global Initiative for Chronic Obstructive Lung Disease - GOLD'. [Online]. Available: <http://goldcopd.org/pocket-guide-copd-diagnosis-management-prevention-2016/>

[30]

'SSNAP - Home'. [Online]. Available: <https://www.strokeaudit.org/>

[31]

P. M. Fernandes, W. N. Whiteley, S. R. Hart, and R. Al-Shahi Salman, 'Strokes: mimics and chameleons', *Practical Neurology*, vol. 13, no. 1, pp. 21–28, Feb. 2013, doi: 10.1136/practneurol-2012-000465.

[32]

G. J. Hankey, *Stroke: your questions answered*. Edinburgh: Churchill Livingstone, 2002.

[33]

A. I. R. Maas et al., 'Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research', *The Lancet Neurology*, vol. 16, no. 12, pp. 987–1048, Dec.

2017, doi: 10.1016/S1474-4422(17)30371-X.

[34]

L. E. Goldstein and A. C. McKee, 'Shining (Laser) Light on Traumatic Brain Injury Blood Biomarkers', *JAMA Neurology*, vol. 74, no. 9, Sep. 2017, doi: 10.1001/jamaneurol.2017.0800.

[35]

'Saline or Albumin for Fluid Resuscitation in Patients with Traumatic Brain Injury', *New England Journal of Medicine*, vol. 357, no. 9, pp. 874–884, Aug. 2007, doi: 10.1056/NEJMoa067514.

[36]

E. M. Crompton, I. Lubomirova, I. Cotlarciuc, T. S. Han, S. D. Sharma, and P. Sharma, 'Meta-Analysis of Therapeutic Hypothermia for Traumatic Brain Injury in Adult and Pediatric Patients*', *Critical Care Medicine*, vol. 45, no. 4, pp. 575–583, Apr. 2017, doi: 10.1097/CCM.0000000000002205.

[37]

P. J. D. Andrews et al., 'Hypothermia for Intracranial Hypertension after Traumatic Brain Injury', *New England Journal of Medicine*, vol. 373, no. 25, pp. 2403–2412, Dec. 2015, doi: 10.1056/NEJMoa1507581.

[38]

F. U. Ahmad, R. M. Starke, R. J. Komotar, and E. S. Connolly, 'A Randomized Clinical Trial of Hypothermia as a Preferred Second-Line Treatment for Elevated Intracranial Pressure After Traumatic Brain Injury', *Neurosurgery*, vol. 78, no. 2, pp. N10–N11, Feb. 2016, doi: 10.1227/NEU.0000000000001171.

[39]

P. J. D. Andrews et al., 'Hypothermia for Intracranial Hypertension after Traumatic Brain Injury', *New England Journal of Medicine*, vol. 373, no. 25, pp. 2403–2412, Dec. 2015, doi: 10.1056/NEJMoa1507581.

[40]

N. Carney et al., 'Guidelines for the Management of Severe Traumatic Brain Injury, Fourth Edition', *Neurosurgery*, Sep. 2016, doi: 10.1227/NEU.0000000000001432.

[41]

G. Teasdale, A. Maas, F. Lecky, G. Manley, N. Stocchetti, and G. Murray, 'The Glasgow Coma Scale at 40 years: standing the test of time', *The Lancet Neurology*, vol. 13, no. 8, pp. 844-854, Aug. 2014, doi: 10.1016/S1474-4422(14)70120-6.

[42]

'Fever Control Management Is Preferable to Mild Therapeutic Hypothermia in Traumatic Brain Injury Patients with Abbreviated Injury Scale 3-4: A Multi-Center, Randomized Controlled Trial | *Journal of Neurotrauma*'. [Online]. Available: <https://www.liebertpub.com/doi/abs/10.1089/neu.2015.4033>

[43]

S. Mason et al., 'THE AHEAD STUDY: MANAGING ANTICOAGULATED PATIENTS WHO SUFFER HEAD INJURY', *Emergency Medicine Journal*, vol. 31, no. 9, p. 775.1-775, Sep. 2014, doi: 10.1136/emmermed-2014-204221.1.

[44]

K. W. Muir et al., 'Endovascular therapy for acute ischaemic stroke: the Pragmatic Ischaemic Stroke Thrombectomy Evaluation (PISTE) randomised, controlled trial', *Journal of Neurology, Neurosurgery & Psychiatry*, vol. 88, no. 1, pp. 38-44, Jan. 2017, doi: 10.1136/jnnp-2016-314117.

[45]

'Sensitivity of computed tomography performed within six hours of onset of headache for diagnosis of subarachnoid haemorrhage: prospective cohort study' [Online]. Available: <https://www.bmj.com/content/bmj/343/bmj.d4277.full.pdf>

[46]

J. A. Edlow and L. R. Caplan, 'Avoiding Pitfalls in the Diagnosis of Subarachnoid Hemorrhage', *New England Journal of Medicine*, vol. 342, no. 1, pp. 29–36, Jan. 2000, doi: 10.1056/NEJM200001063420106.

[47]

A. Ducros and M.-G. Boussier, 'Thunderclap headache', *BMJ*, vol. 346, no. jan08 15, pp. e8557–e8557, Jan. 2013, doi: 10.1136/bmj.e8557.

[48]

'Chapter 11. Use of hyperosmolar therapy in the management of severe pediatric traumatic brain injury', *Pediatric Critical Care Medicine*, vol. 4, no. 3 [Online]. Available: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00130478-200307001-00012&LSLINK=80&D=ovft>

[49]

T. F. Hasan et al., 'Diagnosis and Management of Acute Ischemic Stroke', *Mayo Clinic Proceedings*, vol. 93, no. 4, pp. 523–538, Apr. 2018, doi: 10.1016/j.mayocp.2018.02.013.

[50]

F. M. Pieracci, S. R. Eachempati, J. Shou, L. J. Hydo, and P. S. Barie, 'Degree of Anticoagulation, but Not Warfarin Use Itself, Predicts Adverse Outcomes After Traumatic Brain Injury in Elderly Trauma Patients', *The Journal of Trauma: Injury, Infection, and Critical Care*, vol. 63, no. 3, pp. 525–530, Sep. 2007, doi: 10.1097/TA.0b013e31812e5216.

[51]

F. E. Lecky et al., 'The effect of preinjury warfarin use on mortality rates in trauma patients: a European multicentre study', *Emergency Medicine Journal*, vol. 32, no. 12, pp. 916–920, Dec. 2015, doi: 10.1136/emmermed-2014-203959.

[52]

J. Franko, K. J. Kish, B. G. O'Connell, S. Subramanian, and J. V. Yuschak, 'Advanced Age and Preinjury Warfarin Anticoagulation Increase the Risk of Mortality After Head Trauma',

The Journal of Trauma: Injury, Infection, and Critical Care, vol. 61, no. 1, pp. 107–110, Jul. 2006, doi: 10.1097/01.ta.0000224220.89528.fc.

[53]

J. L. Howard et al., 'Preinjury Warfarin Worsens Outcome in Elderly Patients Who Fall From Standing', The Journal of Trauma: Injury, Infection, and Critical Care, vol. 66, no. 6, pp. 1518–1524, Jun. 2009, doi: 10.1097/TA.0b013e3181a59728.

[54]

J.-M. Chauny et al., 'Risk of Delayed Intracranial Hemorrhage in Anticoagulated Patients with Mild Traumatic Brain Injury: Systematic Review and Meta-Analysis', The Journal of Emergency Medicine, vol. 51, no. 5, pp. 519–528, Nov. 2016, doi: 10.1016/j.jemermed.2016.05.045.

[55]

S. Mason et al., 'AHEAD Study: an observational study of the management of anticoagulated patients who suffer head injury', BMJ Open, vol. 7, no. 1, Jan. 2017, doi: 10.1136/bmjopen-2016-014324.

[56]

S. Mason et al., 'THE AHEAD STUDY: MANAGING ANTICOAGULATED PATIENTS WHO SUFFER HEAD INJURY', Emergency Medicine Journal, vol. 31, no. 9, p. 775.1-775, Sep. 2014, doi: 10.1136/emered-2014-204221.1.

[57]

W. Bernal and J. Wendon, 'Acute Liver Failure', New England Journal of Medicine, vol. 369, no. 26, pp. 2525–2534, Dec. 2013, doi: 10.1056/NEJMra1208937.

[58]

J. Wendon et al., 'EASL Clinical Practical Guidelines on the management of acute (fulminant) liver failure', Journal of Hepatology, vol. 66, no. 5, pp. 1047–1081, May 2017, doi: 10.1016/j.jhep.2016.12.003.

[59]

A. J. Slack et al., 'Ammonia clearance with haemofiltration in adults with liver disease', *Liver International*, vol. 34, no. 1, pp. 42–48, Jan. 2014, doi: 10.1111/liv.12221.

[60]

F. S. Larsen et al., 'High-volume plasma exchange in patients with acute liver failure: An open randomised controlled trial', *Journal of Hepatology*, vol. 64, no. 1, pp. 69–78, Jan. 2016, doi: 10.1016/j.jhep.2015.08.018.

[61]

F. M. Trovato, L. Rabinowich, and M. J. W. McPhail, 'Update on the management of acute liver failure', *Current Opinion in Critical Care*, vol. 25, no. 2, pp. 157–164, Apr. 2019, doi: 10.1097/MCC.0000000000000583.

[62]

W. Bernal, W. M. Lee, J. Wendon, F. S. Larsen, and R. Williams, 'Acute liver failure: A curable disease by 2024?', *Journal of Hepatology*, vol. 62, no. 1, pp. S112–S120, Apr. 2015, doi: 10.1016/j.jhep.2014.12.016.

[63]

S. A. Brown et al., 'Current and prospective therapies for acute liver failure', *Disease-a-Month*, vol. 64, no. 12, pp. 493–522, Dec. 2018, doi: 10.1016/j.disamonth.2018.04.002.

[64]

'Fever in the returning traveller - Initial assessment and triage'. [Online]. Available: https://www.bmj.com/content/bmj/suppl/2018/01/25/bmj.j5773.DC1/fever_diff_v38_web.pdf

[65]

D. Fink, R. S. Wani, and V. Johnston, 'Fever in the returning traveller', *BMJ*, Jan. 2018, doi: 10.1136/bmj.j5773.

[66]

V. Johnston et al., 'Fever in returned travellers presenting in the United Kingdom: Recommendations for investigation and initial management', *Journal of Infection*, vol. 59, no. 1, pp. 1-18, Jul. 2009, doi: 10.1016/j.jinf.2009.05.005.

[67]

J. I. Hawker et al., 'Trends in antibiotic prescribing in primary care for clinical syndromes subject to national recommendations to reduce antibiotic resistance, UK 1995-2011: analysis of a large database of primary care consultations', *Journal of Antimicrobial Chemotherapy*, vol. 69, no. 12, pp. 3423-3430, Dec. 2014, doi: 10.1093/jac/dku291.

[68]

A. J. H. Cremers et al., 'Effect of antibiotic streamlining on patient outcome in pneumococcal bacteraemia', *Journal of Antimicrobial Chemotherapy*, vol. 69, no. 8, pp. 2258-2264, Aug. 2014, doi: 10.1093/jac/dku109.

[69]

'WHO | Antimicrobial resistance' [Online]. Available: <http://www.who.int/antimicrobial-resistance/en/>

[70]

'Published Guidelines | British Infection Association (BIA)'. [Online]. Available: <https://www.britishinfection.org/guidelines-resources/published-guidelines/>

[71]

'NaTHNaC | Launchpad to services'. [Online]. Available: <https://nathnac.net/>

[72]

'ProMED-mail'. [Online]. Available: <https://www.promedmail.org/>

[73]

'Viral haemorrhagic fever: ACDP algorithm and guidance on management of patients - GOV.UK'. [Online]. Available:
<https://www.gov.uk/government/publications/viral-haemorrhagic-fever-algorithm-and-guidance-on-management-of-patients>

[74]

'Guidelines for the Management of Excited Delirium / Acute Behavioural Disturbance (ABD)'. [Online]. Available:
https://rcem.ac.uk/wp-content/uploads/2022/01/Acute_Behavioural_Disturbance_Final.pdf

[75]

'Consent in Adults, Adolescents and Children in Emergency Departments'. [Online]. Available:
https://rcem.ac.uk/wp-content/uploads/2021/10/Consent_Guidance_Revised_Jan2018.pdf

[76]

'Information sharing to reduce Community Violence'. [Online]. Available:
https://rcem.ac.uk/wp-content/uploads/2021/10/QEC_Guideline_Information_Sharing_to_Reduce_Community_Violence_Sept2017.pdf

[77]

'A universal FGM flowchart and reporting tool'. [Online]. Available:
https://rcem.ac.uk/wp-content/uploads/2021/10/QEC_Guideline_Information_Sharing_to_Reduce_Community_Violence_Sept2017.pdf

[78]

'The Mental Capacity Act in Emergency Medicine Practice'. [Online]. Available:
https://rcem.ac.uk/wp-content/uploads/2021/10/RCEM_Mental_Capacity_Act_in_EM_Practice_Feb2017.pdf

[79]

'The Patient Who Absconds'. [Online]. Available:
https://rcem.ac.uk/wp-content/uploads/2021/10/RCEM_Absconding_Guidance_V2.pdf

[80]

'Management of Domestic Abuse'. [Online]. Available:
https://rcem.ac.uk/wp-content/uploads/2021/10/Management_of_Domestic_Abuse_March2015.pdf

[81]

'ED Patients in Police Custody'. [Online]. Available:
https://rcem.ac.uk/wp-content/uploads/2021/10/ED_Patients_in_Police_Custody_revised_June2016.pdf

[82]

'IAP publish information sharing statement « Independent Advisory Panel on Deaths in Custody'. [Online]. Available:
<https://www.iapondeathsincustody.org/s/IAP-Information-Sharing-Statement.pdf>

[83]

'Memorandum of Understanding – The Police Use of Restraint in Mental Health & Learning Disability Settings'. [Online]. Available:
https://rcem.ac.uk/wp-content/uploads/2021/11/Police_Use_of_Restraint_in_Mental_Health_and_LD_Settings.pdf

[84]

Chris Lipp, 'Analgesia in the emergency department: a GRADE-based evaluation of research evidence and recommendations for practice', *Critical Care*, vol. 17, no. 2, doi: 10.1186/cc12521. [Online]. Available:
<https://ccforum.biomedcentral.com/articles/10.1186/cc12521>

[85]

D. J. Beard and P. Wood, 'Pain in complex trauma: lessons from Afghanistan', *BJA Education*, vol. 15, no. 4, pp. 207–212, Aug. 2015, doi: 10.1093/bjaceaccp/mku035.

[86]

I. Fleming and C. Egeler, 'Regional anaesthesia for trauma: an update', *Continuing Education in Anaesthesia Critical Care & Pain*, vol. 14, no. 3, pp. 136–141, Jun. 2014, doi: 10.1093/bjaceaccp/mkt048.

[87]

'Efficacy of Postoperative Patient-controlled and Continuous Infusion Epidural Analgesia versus Intravenous Patient-controlled Analgesia with Opioids: A Meta-analysis', *Anesthesiology*, vol. 103, no. 5, pp. 1079–1088 [Online]. Available: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&CSC=Y&NEWS=N&PAGE=fulltext&AN=00000542-200511000-00023&LSLINK=80&D=ovft>

[88]

J. M. Richman et al., 'Does Continuous Peripheral Nerve Block Provide Superior Pain Control to Opioids? A Meta-Analysis', *Anesthesia & Analgesia*, vol. 102, no. 1, pp. 248–257, Jan. 2006, doi: 10.1213/01.ANE.0000181289.09675.7D.

[89]

O. G. S. Ayling et al., 'Continuous Regional Anaesthesia Provides Effective Pain Management and Reduces Opioid Requirement Following Major Lower Limb Amputation', *European Journal of Vascular and Endovascular Surgery*, vol. 48, no. 5, pp. 559–564, Nov. 2014, doi: 10.1016/j.ejvs.2014.07.002.

[90]

S. M. Galvagno et al., 'Pain management for blunt thoracic trauma', *Journal of Trauma and Acute Care Surgery*, vol. 81, no. 5, pp. 936–951, Nov. 2016, doi: 10.1097/TA.0000000000001209.

[91]

P. Fu, P. D. Weyker, and C. A. J. Webb, 'Case Report of Serratus Plane Catheter for Pain Management in a Patient With Multiple Rib Fractures and an Inferior Scapular Fracture', *A & A Case Reports*, vol. 8, no. 6, pp. 132–135, Mar. 2017, doi: 10.1213/XAA.0000000000000431.

[92]

C. Carrie et al., 'Bundle of care for blunt chest trauma patients improves analgesia but increases rates of intensive care unit admission: A retrospective case-control study', *Anaesthesia Critical Care & Pain Medicine*, vol. 37, no. 3, pp. 211–215, Jun. 2018, doi: 10.1016/j.accpm.2017.05.008.

[93]

M. Blaivas, S. Adhikari, and L. Lander, 'A Prospective Comparison of Procedural Sedation and Ultrasound-guided Interscalene Nerve Block for Shoulder Reduction in the Emergency Department', *Academic Emergency Medicine*, vol. 18, no. 9, pp. 922–927, Sep. 2011, doi: 10.1111/j.1553-2712.2011.01140.x.